

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/09/2015
SDS No : 4590788003

American Crew 3 IN 1 Shampoo

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: American Crew 3 IN 1 Shampoo
GENERAL USE: Hair Care
PRODUCT DESCRIPTION: American Crew 3 IN 1 Shampoo
CHEMICAL FAMILY: Personal care
GENERIC NAME: Shampoo

MANUFACTURER

Revlon
5344 Overmyer Drive
Jacksonville, FL 32254

DISTRIBUTOR

American Crew
Revlon
1515 Wazee Street Suite 200
Denver, CO 80202
Customer Service: 3032924850

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) : (613) 996 - 6666
CHEMTREC (US Transportation) : (800) 424 - 9300
RMPCC Medical Emergencies (303) 739 - 1110

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2B

GHS LABEL

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.

PRECAUTIONARY STATEMENTS

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

POTENTIAL HEALTH EFFECTS

EYES: May cause eye irritation

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: This product is not reported to cause reproductive effects in humans

TERATOGENIC EFFECTS: This product is not reported to produce Teratogenic effects in humans

CARCINOGENICITY: Not Listed as a carcinogen

MUTAGENICITY: This product is not reported to produce mutagenic effects in humans

3. COMPOSITION / INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/09/2015
SDS No : 4590788003**American Crew 3 IN 1 Shampoo**

| Chemical Name | Wt. % | CAS |
|---|-------|-------------|
| Sodium Lauryl Ether Sulfate | < 20 | 68585-34-2 |
| Poly(oxy-1,2ethanediyl), .alpha.-dodceyl-.omega.-hydroxy- | < 1 | 9002-92-0 |
| Alkylpolyglucoside | < 4 | 110615-47-9 |
| Cocamidopropyl Betaine | < 1.5 | 61789-40-0 |
| Glycerine | < 1 | 56-81-5 |
| Ethanol, 2-phenoxy- | < 1.5 | 122-99-6 |
| 1,2-Octanediol | < 1.5 | 1117-86-8 |

4. FIRST AID MEASURES**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.**INGESTION:** If accidental ingestion occurs, contact the poison control center.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye irritation**5. FIRE FIGHTING MEASURES****FLAMMABLE CLASS:** This product is not flammable**EXTINGUISHING MEDIA:** No special extinguishing media required**FIRE FIGHTING PROCEDURES:** No special procedures required**FIRE FIGHTING EQUIPMENT:** No special equipment required**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Absorb liquid and place in container for disposal. Mop up residue as it will be very slick.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid dispersal of spilled material to waterways.**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** No special procedures required**STORAGE TEMPERATURE:** Room Temperature**SHELF LIFE:** 3 Years**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****COMMENTS:** No special PPE or engineering controls are needed**9. PHYSICAL AND CHEMICAL PROPERTIES****PHYSICAL STATE:** Semi-Viscous Liquid**ODOR:** Fresh

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/09/2015
SDS No : 4590788003

American Crew 3 IN 1 Shampoo

COLOR: White**pH:** 5.5 - 6.5**FLASH POINT AND METHOD:** > 100°C**SPECIFIC GRAVITY:** 1.00 - 1.03**VISCOSITY:** 4 - 9k cps

10. STABILITY AND REACTIVITY

REACTIVITY: Non-reactive**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

COMMENTS: No toxicological effects expected with intended use

12. ECOLOGICAL INFORMATION

COMMENTS: This product is not expected to produce any adverse environmental effects.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with EU Regulations, US Federal, State or Local Regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** Not Regulated

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION): Not regulated by DOT**ROAD AND RAIL (ADR/RID):** Not regulated by ADR/RID**AIR (ICAO/IATA):** Not regulated by IATA/ICAO**VESSEL (IMO/IMDG):** Not regulated by IMO/IMDG

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All chemicals substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.**FDA (FOOD AND DRUG ADMINISTRATION):** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

16. OTHER INFORMATION

REASON FOR ISSUE: New Improved Formula**APPROVED BY:** The R&D Department

SAFETY DATA SHEET


Consumer Product

Date Prepared : 10/09/2015
SDS No : 4590788003**American Crew 3 IN 1 Shampoo**

PREPARED BY: The Safety Department Date Prepared: 10/09/2015

HMIS RATING

| | | |
|----------------------------|--------------------------|----------|
| HEALTH | <input type="checkbox"/> | 1 |
| FLAMMABILITY | <input type="checkbox"/> | 0 |
| PHYSICAL HAZARD | <input type="checkbox"/> | 0 |
| PERSONAL PROTECTION | <input type="checkbox"/> | |

NFPA CODES**MANUFACTURER SUPPLEMENTAL NOTES:** Read all warnings and directions on packaging carefully before use**GENERAL STATEMENTS:** All information appearing herein is based upon data obtained from the manufactures and/or recognized techical sources. While the information is believed to be accurate Revlon makes no representation as to it's accuracy or sufficiency. Judgement as to the suitability of information herein for purchaser's purposes are necessarily the purchaser's responsibility. Therefore, although resonable care has been taken in the preparation of such information, Revlon extends no warranties, makes no representations or assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.**COMMENTS:** Cosmetic products are exempted from Safety data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of chemicals (REACH) in europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standart 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetic are covered by the Food and Drug Adminstration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

MANUFACTURER DISCLAIMER: Avoid contact with eyes and keep out of reach of children

SAFETY DATA SHEET



Issuing Date No data available

Revision Date 05-May-2017

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

| | |
|--------------|---------------------------|
| Product Name | American Crew Fiber Cream |
| Bulk Number | 4702610000 |
| Brand | Revlon Professional |
| Category | Hair |

Other means of identification

| | |
|----------------|-------|
| Physical state | Cream |
| Synonyms | None |

Recommended use of the chemical and restrictions on use

| | |
|-----------------|--------------------------|
| Recommended Use | No information available |
|-----------------|--------------------------|

| | |
|---------------------|--|
| Restrictions on use | This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed. |
|---------------------|--|

| | |
|----------------------|--------------------------|
| Uses advised against | No information available |
|----------------------|--------------------------|

Details of the supplier of the safety data sheet

| | |
|-----------------------------------|---|
| Supplier Name | Revlon |
| Supplier Address | 2121 Route 27, Edison, NJ 08818 |
| Supplier Phone Number | (732) 287-1400 |
| Supplier Information | Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400 |
| <u>Emergency telephone number</u> | |

| | |
|---------------------------------|--|
| Chemical Emergency Phone Number | 703-527-3887 Chemtrec 1-800-424-9300 |
| Company Emergency Phone Number | Medical Emergencies: 303-739-1110 |
| Emergency Telephone Number | Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies) |

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin sensitization

Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger



The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Opaque

Physical state Cream

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see supplemental first aid instructions on this label)

Skin

If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects
Harmful to aquatic life

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% | Trade Secret |
|-------------------|-----------|----------|--------------|
| Glycerin | 56-81-5 | <5 | - |
| Petrolatum | 8009-03-8 | <5 | - |
| Glyceryl stearate | 123-94-4 | <5 | - |
| Alcohol | 64-17-5 | <1 | - |
| Isopropyl alcohol | 67-63-0 | <1 | - |
| D-Limonene | 5989-27-5 | <1 | - |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

| | |
|---------------------|--|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | Wash skin with soap and water. |
| Inhalation | Remove to fresh air. |
| Ingestion | Rinse mouth immediately and drink plenty of water. |

Most important symptoms and effects, both acute and delayed

| | |
|--|---------------------------|
| Most Important Symptoms and Effects | No information available. |
|--|---------------------------|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Ensure adequate ventilation. Take precautionary measures against static discharges. See section 8 for more information. Avoid breathing vapors or mists. Avoid breathing dust/fume/gas/mist/vapors/spray.

Environmental precautions

Environmental precautions

Local authorities should be advised if significant spillages cannot be contained. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Prevent product from entering drains. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapor or mist. Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with eyes. Refer to Section 8.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|--|--|---|
| Glycerin 56-81-5 | - | TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction | |
| Glyceryl stearate 123-94-4 | TWA: 10 mg/m ³ except stearates of toxic metals | - | |
| Alcohol 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ |
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³ |

Appropriate engineering controls

Engineering Measures Ventilation systems Ensure that eyewash stations and safety showers are close to the workstation location

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection None under normal use conditions. None required for consumer use.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

| | | | |
|-----------------------|--------|-----------------------|--------------------------|
| Physical state | Cream | Odor | No information available |
| Appearance | Opaque | Odor Threshold | No information available |
| Color | White | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|--|-------------------|-----------------|---------------|
| pH | 4.5-5.5 | | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | > 150 C / 302 F | CC (closed cup) | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Specific Gravity | 0.93-0.97 | | |
| Water Solubility | No data available | None known | |
| Partition coefficient: n-octanol/water | No data available | None known | |
| Autoignition temperature | No data available | None known | |

Other Information

| | |
|----------------------------|-------------------|
| VOC Content (%) | No data available |
| Particle Size | No data available |
| Particle Size Distribution | |

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Specific test data for the substance or mixture is not available. |
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | Specific test data for the substance or mixture is not available. |
| Ingestion | Specific test data for the substance or mixture is not available. |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|-----------------------|-------------------------|---------------------------------------|
| Glycerin 56-81-5 | = 12600 mg/kg (Rat) | > 10 g/kg (Rabbit) | > 570 mg/m ³ (Rat) 1 h |
| Petrolatum 8009-03-8 | - | = 3600 mg/kg (Rabbit) | - |
| Alcohol 64-17-5 | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |
| Isopropyl alcohol 67-63-0 | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m ³ (Rat) 4 h |
| D-Limonene 5989-27-5 | = 4400 mg/kg (Rat) | > 5 g/kg (Rabbit) | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|------------------------------|-------|---------|-------|------|
| Alcohol 64-17-5 | A3 | Group 1 | Known | X |
| Isopropyl alcohol 67-63-0 | | Group 3 | | X |
| D-Limonene 5989-27-5 | | Group 3 | | X |

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects kidney. Respiratory system. Eyes. Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
78,707.00 mg/kg
ATEmix (dermal)
70,351.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|------------------------------|---|---|----------------------------|---|
| Glycerin 56-81-5 | | 96h LC50: 51 - 57 mL/L (Oncorhynchus mykiss) | | 24h EC50: > 500 mg/L |
| Alcohol 64-17-5 | | 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) | | 24h EC50: = 10800 mg/L 48h EC50: = 2 mg/L 48h LC50: 9268 - 14221 mg/L |
| Isopropyl alcohol 67-63-0 | 96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus) | 96h LC50: = 9640 mg/L (Pimephales promelas) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: > 1400000 µg/L (Lepomis macrochirus) | | 48h EC50: = 13299 mg/L |
| D-Limonene 5989-27-5 | | 96h LC50: 0.619 - 0.796 mg/L (Pimephales promelas) 96h LC50: = 35 mg/L (Oncorhynchus mykiss) | | |

Persistence and Degradability

No information available.

Bioaccumulation

For .? :

| Chemical name | Log Pow |
|------------------------------|---------|
| Glycerin 56-81-5 | -1.76 |
| Alcohol 64-17-5 | -0.32 |
| Isopropyl alcohol 67-63-0 | 0.05 |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|------------------------------|----------------------------|
| Alcohol 64-17-5 | Toxic Ignitable |
| Isopropyl alcohol 67-63-0 | Toxic Ignitable |
| D-Limonene 5989-27-5 | Toxic |

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG/MO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-----------------------------|---------|----------|-------------------------------|
| Isopropyl alcohol - 67-63-0 | 67-63-0 | <1 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------------|------------|---------------|--------------|--------------|----------|
| Water 7732-18-5 | | | X | | |
| Glycerin 56-81-5 | X | X | X | | |

International Regulations

| Component | Carcinogen Status | Exposure Limits |
|-----------------------------------|-------------------|---|
| Glycerin 56-81-5 (<5) | | Mexico: TWA 10 mg/m ³ |
| Alcohol 64-17-5 (<1) | | Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³ |
| Isopropyl alcohol 67-63-0 (<1) | | Mexico: TWA 400 ppm Mexico: TWA 980 mg/m ³ Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m ³ |

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

| | | | | |
|-------------|---------------------------|-----------------------|--------------------------|--|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - |
| HMIS | Health hazards 2 * | Flammability 1 | Physical Hazard 0 | Personal Protection X |

Chronic Hazard Star Legend * = Chronic Health Hazard

| | |
|----------------------|------------------------------------|
| Prepared By | Revlon Research Center, Edison, NJ |
| Revision Date | 05-May-2017 |
| Revision Note | No information available |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe. Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation. Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

End of Safety Data Sheet

SAFETY DATA SHEET

Consumer Product

Date Prepared : 06/25/2015

SDS No : 4590359001

American Crew Classic Firm Hold Gel

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: American Crew Classic Firm Hold Gel
GENERAL USE: Hair Care
PRODUCT DESCRIPTION: American Crew Classic Firm Hold Gel
CHEMICAL FAMILY: Personal care
GENERIC NAME: Styling gel

MANUFACTURER

Revlon
5344 Overmyer Drive
Jacksonville, FL 32254

DISTRIBUTOR

American Crew
Revlon
1515 Wazee Street Suite 200
Denver, CO 80202
Customer Service: 3032924850

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) :(613) 996 - 6666
CHEMTREC (US Transportation) :(800) 424 - 9300
RMPCC Medical Emergencies(303) 739 - 1110

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2B

GHS LABEL

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.

PRECAUTIONARY STATEMENTS

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Gel

IMMEDIATE CONCERNS: Mild eye irritation

POTENTIAL HEALTH EFFECTS

EYES: May be irritating to the eyes

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: This product is not reported to cause reproductive effects in humans

TERATOGENIC EFFECTS: This product is not reported to produce Teratogenic effects in humans

CARCINOGENICITY: Not Listed as a carcinogen

MUTAGENICITY: This product is not reported to produce mutagenic effects in humans

SAFETY DATA SHEET

Consumer Product

Date Prepared : 06/25/2015

SDS No : 4590359001

American Crew Classic Firm Hold Gel**WARNING CAUTION LABELS:** Keep out of reach of children, For external use only**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name | Wt. % | CAS |
|--|-------|------------|
| 1-Vinyl-2-Pyrrolidone,-Vinyl Acetate Polymer | < 5 | 25086-89-9 |
| Ethanol, 2-phenoxy- | < 1 | 122-99-6 |

4. FIRST AID MEASURES**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.**INGESTION:** If accidental ingestion occurs, contact the poison control center.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye irritation**5. FIRE FIGHTING MEASURES****EXTINGUISHING MEDIA:** No special extinguishing media required**FIRE FIGHTING PROCEDURES:** No special procedures required**FIRE FIGHTING EQUIPMENT:** No special equipment required**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Absorb liquid and place in container for disposal. Mop up residue as it will be very slick.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid dispersal of spilled material to waterways.**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** No special procedures required**STORAGE TEMPERATURE:** Room Temperature**SHELF LIFE:** 3 Years**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****COMMENTS:** No special PPE or engineering controls are needed**9. PHYSICAL AND CHEMICAL PROPERTIES****PHYSICAL STATE:** Gel**ODOR:** Characteristic**COLOR:** Clear**pH:** 5.5 - 6.0**SPECIFIC GRAVITY:** 0.99 - 1.03**VISCOSITY:** 150 - 200k cps

SAFETY DATA SHEET

Consumer Product

Date Prepared : 06/25/2015
SDS No : 4590359001

American Crew Classic Firm Hold Gel

10. STABILITY AND REACTIVITY

REACTIVITY: Non-reactive**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

COMMENTS: This product is non-hazardous when used as intended. If accidental ingestion occurs contact a doctor or the poison control center.

12. ECOLOGICAL INFORMATION

COMMENTS: This product is not expected to produce any adverse environmental effects.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with EU Regulations, US Federal, State or Local Regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** Not Regulated**EUROPEAN WASTE CATALOGUE:** NA = Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION): Not regulated by DOT**AIR (ICAO/IATA):** Not regulated by IATA/ICAO

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All chemicals substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.**FDA (FOOD AND DRUG ADMINISTRATION):** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

16. OTHER INFORMATION

REASON FOR ISSUE: New formula**APPROVED BY:** The R&D Department**PREPARED BY:** The Safety Department**Date Prepared:** 06/25/2015

SAFETY DATA SHEET


Consumer Product

Date Prepared : 06/25/2015

SDS No : 4590359001

American Crew Classic Firm Hold Gel**HMIS RATING**

| | | |
|----------------------------|--------------------------|----------|
| HEALTH | <input type="checkbox"/> | 1 |
| FLAMMABILITY | <input type="checkbox"/> | 0 |
| PHYSICAL HAZARD | <input type="checkbox"/> | 0 |
| PERSONAL PROTECTION | <input type="checkbox"/> | |

NFPA CODES

MANUFACTURER SUPPLEMENTAL NOTES: Read all warnings and directions on packaging carefully before use

ADDITIONAL SDS INFORMATION: Keep out of the reach of children, For external use only

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized techical sources. While the information is believed to be accurate Revlon makes no representation as to it's accuracy or sufficiency. Judgement as to the suitability of information herein for purchaser's purposes are necessarily the purchaser's responsibility. Therefore, although resonable care has been taken in the preparation of such information, Revlon extends no warranties, makes no representations or assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.

COMMENTS: Cosmetic products are exempted from Safety data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of chemicals (REACH) in europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standart 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetic are covered by the Food and Drug Adminstration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

MANUFACTURER DISCLAIMER: Avoid Contact with eyes

SAFETY DATA SHEET

Consumer Product

Date Prepared : 07/05/2007

SDS No : 140119

Date Revised : 05/15/2015

Revision No : 1

American Crew Forming Cream

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: American Crew Forming Cream**GENERAL USE:** Hair Care / Cuidado de Cabello**PRODUCT DESCRIPTION:** American Crew Forming Cream**PRODUCT CODE:** 140119**PRODUCT FORMULATION NAME:** American Crew Forming Cream**CHEMICAL FAMILY:** Forming Cream**GENERIC NAME:** Forming Cream**MANUFACTURER**

Colomer USA Inc

5344 Overmyer Drive

Jacksonville, FL 32254

Customer Service: 904-366-5535**24 HR. EMERGENCY TELEPHONE NUMBERS**

CANUTEC (Canadian Transportation) :(613) 996 - 6666

CHEMTREC (US Transportation) :(800) 424 - 9300

RMPCC Medical Emergencies(303) 739 - 1110

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS**Health:**

Eye Irritation, Category 2B

GHS LABEL**SIGNAL WORD:** WARNING**HAZARD STATEMENTS**

H320: Causes eye irritation.

PRECAUTIONARY STATEMENTS**Response:**

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

EMERGENCY OVERVIEW**PHYSICAL APPEARANCE:** Thick Cream**IMMEDIATE CONCERNS:** None**POTENTIAL HEALTH EFFECTS****EYES:** Causes eye irritation**SKIN:** Causes skin irritation**SKIN ABSORPTION:** NA = Not Applicable**INGESTION:** No significant effects**INHALATION:** No significant effects**REPRODUCTIVE TOXICITY****REPRODUCTIVE EFFECTS:** None

SAFETY DATA SHEET

Consumer Product

Date Prepared : 07/05/2007

SDS No : 140119

Date Revised : 05/15/2015

Revision No : 1

American Crew Forming Cream

TERATOGENIC EFFECTS: None**CARCINOGENICITY:** None**MUTAGENICITY:** None

3. COMPOSITION / INFORMATION ON INGREDIENTS

4. FIRST AID MEASURES

EYES: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.**SKIN:** Remove contaminated clothing. Wash with soap and water.**INGESTION:** NA = Not Applicable**INHALATION:** Remove to fresh air**SIGNS AND SYMPTOMS OF OVEREXPOSURE****ACUTE TOXICITY:** NA = Not Applicable**CHRONIC EFFECTS:** None Expected.**ANTIDOTES:** NA = Not Applicable

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Combustible Category 4

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Clean-up with mop or sponge**LARGE SPILL:** Clean-up thoroughly with mop or sponge**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** NA = Not Applicable**LAND SPILL:** NA = Not Applicable**AIR SPILL:** NA = Not Applicable

7. HANDLING AND STORAGE

GENERAL PROCEDURES: No special procedures required

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: NA = Not Applicable**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** No special procedures required**SKIN:** No special procedures required**RESPIRATORY:** NA = Not Applicable**PROTECTIVE CLOTHING:** NA = Not Applicable**WORK HYGIENIC PRACTICES:** No special procedures required

SAFETY DATA SHEET

Consumer Product

Date Prepared : 07/05/2007

SDS No : 140119

Date Revised : 05/15/2015

Revision No : 1

American Crew Forming Cream

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Cream**ODOR:** Mild Fragrance**APPEARANCE:** Thick Cream**COLOR:** NA = Not Applicable**FLASH POINT AND METHOD:** Closed Cup**AUTOIGNITION TEMPERATURE:** (139.1°F)

10. STABILITY AND REACTIVITY

REACTIVITY: Yes**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Eye irritation**SKIN EFFECTS:** No significant effects

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: NA = Not Applicable**ECOTOXICOLOGICAL INFORMATION:** NA = Not Applicable

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with Federal, State and Local regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special procedures required**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)**PROPER SHIPPING NAME:** Not Applicable**ROAD AND RAIL (ADR/RID)****PROPER SHIPPING NAME:** Not Applicable**AIR (ICAO/IATA)****SHIPPING NAME:** Not Applicable

15. REGULATORY INFORMATION

UNITED STATES

SAFETY DATA SHEET

Consumer Product

Date Prepared : 07/05/2007


SDS No : 140119

Date Revised : 05/15/2015

Revision No : 1

American Crew Forming Cream**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: No CHRONIC: No****16. OTHER INFORMATION****PREPARED BY:** Safety Department **Date Revised:** 05/15/2015**REVISION SUMMARY:** This SDS replaces the 07/05/2007 SDS. Revised: **Section 2:** .**HMIS RATING**

| | | |
|----------------------------|--------------------------|----------|
| HEALTH | <input type="checkbox"/> | 1 |
| FLAMMABILITY | | 2 |
| PHYSICAL HAZARD | | 0 |
| PERSONAL PROTECTION | | a |

NFPA CODES

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 11/20/2009
 MSDS No: 140650
 Date-Revised: 11/20/2009
 Revision No: 2

American Crew Developer 15 Volume**1. PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: American Crew Developer 15 Volume
GENERAL USE: Hair Care
PRODUCT DESCRIPTION: American Crew Developer 15 Volume
PRODUCT CODE: 100264
PRODUCT FORMULATION NAME: American Crew Developer 15 Volume
CHEMICAL FAMILY: Hair Care
GENERIC NAME: Developer

MANUFACTURER

Colomer USA
 5344 Overmyer Drive
 Jacksonville, FL 32254
Service Number: 904-366-5535

DISTRIBUTOR

American Crew

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) :(613) 996 - 6666
CHEMTREC (US Transportation) :(800) 424 - 9300

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: Liquid

IMMEDIATE CONCERNS: Avoid contact with eyes and skin

POTENTIAL HEALTH EFFECTS

EYES: Substance causes severe eye irritation. Injury may be permanent.

SKIN: Prolonged exposure may cause irritation and discoloration.

SKIN ABSORPTION: NA = Not Applicable

INGESTION: Small amounts (a tablespoonful) swallowed during normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury.

INHALATION: At high concentrations nose and throat irritation

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Causes eye irritation.

SKIN: Contact causes skin irritation.

SKIN ABSORPTION: NA = Not Applicable

INGESTION: May cause irritation of the digestive track

INHALATION: Inhalation of high vapors concentrations may irritate the respiratory tract.

ACUTE TOXICITY: Non-Hazardous under normal use and conditions

CHRONIC EFFECTS: Long term exposure can cause irritation.

CARCINOGENICITY: NA = Not Applicable

ROUTES OF ENTRY: Eyes, Skin, Ingestion

TARGET ORGAN STATEMENT: Eyes, Skin, Digestive System

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 11/20/2009
 MSDS No: 140650
 Date-Revised: 11/20/2009
 Revision No: 2

American Crew Developer 15 Volume**CANCER STATEMENT:** Not classified as carcinogenicity by OSHA, NTP, IARC or EPA**WARNING CAUTION LABELS:** NA = Not Applicable**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name | Vol. % | CAS | EINECS |
|-------------------|----------|-----------|-----------|
| Hydrogen Peroxide | >= 4 - 5 | 7722-84-1 | 231-765-0 |

4. FIRST AID MEASURES**EYES:** Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes.**SKIN:** Wash with soap and water.**INGESTION:** Do Not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid if symptoms persist.**INHALATION:** Remove to fresh air**NOTES TO PHYSICIAN:** This product contains small amount of Hydrogen Peroxide which is a oxidant.**COMMENTS:** Remove victim(s) from area. Observe self-protection.**5. FIRE FIGHTING MEASURES****FLASHPOINT AND METHOD:** NA = Not Applicable**FLAMMABLE LIMITS:** Non-Flammable**AUTOIGNITION TEMPERATURE:** NA = Not Applicable**FLAMMABLE CLASS:** Unrated**GENERAL HAZARD:** Slightly toxic if ingested**EXTINGUISHING MEDIA:** Dry chemical, Water, Water fog, Alcohol foam**EXPLOSION HAZARDS:** NA = Not Applicable**FIRE FIGHTING PROCEDURES:** No special procedures required**FIRE FIGHTING EQUIPMENT:** No Special Equipment Required**FIRE EXPLOSION:** NA = Not Applicable**SENSITIVE TO STATIC DISCHARGE:** NA = Not Applicable**SENSITIVITY TO IMPACT:** NA = Not Applicable**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Clean-up with mop or sponge**LARGE SPILL:** NA = Not Applicable**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Store away from flammable liquids, solids, aerosols, organic solvents, alkalis, reducing agents, metallic salts and other heat sources.**HANDLING:** Wear eye protection and impervious gloves and wash with soap and water after use.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 11/20/2009

MSDS No: 140650

Date-Revised: 11/20/2009

Revision No: 2

American Crew Developer 15 Volume**STORAGE:** Store in a cool place in original container and protect from sunlight.**LOADING/UNLOADING VISCOSITY:** 100 to 500 cps**STORAGE PRESSURE:** NA = Not Applicable**ELECTROSTATIC ACCUMULATION HAZARD:** NA = Not Applicable**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****ENGINEERING CONTROLS:** Good general ventilation should be sufficient as maximum occupational exposure limit will not be reached under normal conditions of use**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Avoid contact with eyes**SKIN:** S37: Wear suitable gloves.**RESPIRATORY:** S51: Use only in well-ventilated areas.**PROTECTIVE CLOTHING:** No special clothing required**WORK HYGIENIC PRACTICES:** Wash with soap and water after use**OTHER USE PRECAUTIONS:** Never eat, drink or smoke in work area.**9. PHYSICAL AND CHEMICAL PROPERTIES****PHYSICAL STATE:** Liquid**ODOR:** None**COLOR:** White**pH:** 3.0 to 3.5**PERCENT VOLATILE:** 0**FLASHPOINT AND METHOD:** NA = Not Applicable**SOLUBILITY IN WATER:** Fully miscible**SPECIFIC GRAVITY:** 1.000 to 1.02**VISCOSITY #1:** 100 to 500 cps**(VOC):** ~**OXIDIZING PROPERTIES:** Contains small amount of Hydrogen Peroxide**10. STABILITY AND REACTIVITY****STABLE:** Yes**HAZARDOUS POLYMERIZATION:** No**INCOMPATIBLE MATERIALS:** Organic solvents, alkalis, reducing agents, metallic salts**11. TOXICOLOGICAL INFORMATION****EYE EFFECTS:** Eye irritation**SKIN EFFECTS:** Skin irritation**CARCINOGENICITY****IARC:** NA = Not Applicable

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 11/20/2009
 MSDS No: 140650
 Date-Revised: 11/20/2009
 Revision No: 2

American Crew Developer 15 Volume

NTP: NA = Not Applicable

OSHA: NA = Not Applicable

12. ECOLOGICAL INFORMATION**ENVIRONMENTAL DATA:** Hydrogen peroxide quickly decomposes to oxygen and water**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with Federal, State and Local regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special procedures required**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable**EUROPEAN WASTE CATALOGUE:** NA = Not Applicable**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Not Regulated**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** NA = Not Applicable**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** NA = Not Applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** NA = Not Applicable**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** NA = Not Applicable**CLEAN AIR ACT****40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE****PREVENTION:** NA = Not Applicable**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)****29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS:** NA = Not Applicable**REGULATIONS****STATE REGULATIONS:** NA = Not Applicable**LOCAL REGULATIONS:** NA = Not Applicable**CALIFORNIA PROPOSITION 65:** NA = Not Applicable


MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 11/20/2009
 MSDS No: 140650
 Date-Revised: 11/20/2009
 Revision No: 2

American Crew Developer 15 Volume**RCRA STATUS:** NA = Not Applicable**OSHA HAZARD COMM. RULE:** NA = Not Applicable**CLEAN WATER ACT:** NA = Not Applicable**NATIONAL RESPONSE CENTER:** NA = Not Applicable**CARCINOGEN:** NOT LISTED AS A CARCINOGEN**MEXICO** NA = Not Applicable**16. OTHER INFORMATION****REASON FOR ISSUE:** New Product**APPROVED BY:** The R&D Department**PREPARED BY:** The Safety Department**REVISION SUMMARY:** Revision #: 2. This MSDS replaces the November 20, 2009 MSDS.**HMIS RATING**

| | |
|-----------------------------|----------|
| HEALTH: | 2 |
| FLAMMABILITY: | 0 |
| PHYSICAL HAZARD: | 0 |
| PERSONAL PROTECTION: | |

NFPA CODES

ADDITIONAL MSDS INFORMATION: CAUTION: Avoid contact with eyes and skin. If product comes into contact with eyes, immediately flush with water. Wear suitable gloves. FOR PROFESSIONAL USE ONLY

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufacturers and/or recognized technical sources. While the information is believed to be accurate Colomer USA, Inc. makes no representation as to its accuracy or sufficiency. Judgment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.

MANUFACTURER DISCLAIMER: Keep out of reach of children.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140682

AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK**GENERAL USE:** Haircolor**PRODUCT DESCRIPTION:** AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK**PRODUCT CODE:** 100308**PRODUCT FORMULATION NAME:** AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK**CHEMICAL FAMILY:** HAIR CARE**GENERIC NAME:** HAIR COLOR**MANUFACTURER**

Colomer USA
5344 Overmyer Drive
Jacksonville, FL 32254
Service Number: 904-366-5535

DISTRIBUTOR

American Crew

24 HR. EMERGENCY TELEPHONE NUMBERS**CANUTEC (Canadian Transportation) :**(613) 996 - 6666**CHEMTREC (US Transportation) :**(800) 424 - 9300

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW**PHYSICAL APPEARANCE:** Liquid**IMMEDIATE CONCERNS:** MAY DAMAGE THE EYE**POTENTIAL HEALTH EFFECTS****EYES:** Can cause severe eye irritation.**SKIN:** Prolonged or repeated contact may cause skin irritation.**SKIN ABSORPTION:** NA = Not Applicable**INGESTION:** Moderately toxic.**INHALATION:** Low hazard for usual Industrial or commercial handling.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye contact with product may cause irritation, tears, redness and pain**SKIN:** MINIMAL IRRITATION**SKIN ABSORPTION:** NA = Not Applicable**INGESTION:** SINGLE DOSE ORAL TOXICITY IS CONSIDERED SLIGHTLY TOXIC. SMALL AMOUNTS SWALLED INCIDENTAL ARE NOT LIKELY TO CAUSE INJURY.**INHALATION:** None Expected.**ACUTE TOXICITY:** PROLONGED CONTACT WITH THE EYES CAN CAUSE DAMAGE**CHRONIC EFFECTS:** Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).**CARCINOGENICITY:** Not Listed as a carcinogen**MEDICAL CONDITIONS AGGRAVATED:** None Expected.**ROUTES OF ENTRY:** EYES**TARGET ORGAN STATEMENT:** Eyes

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140682

AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK**CANCER STATEMENT:** Not classified as carcinogenicity by OSHA, NTP, IARC or EPA**WARNING CAUTION LABELS:** None**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name | Vol. % | CAS | EINECS |
|-------------------|------------|----------|-----------|
| Ethanol, 2-amino- | <= 4.8 - 5 | 141-43-5 | 205-483-3 |

4. FIRST AID MEASURES**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if Irritation persists.**SKIN:** Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.**INGESTION:** Get medical attention immediately.**INHALATION:** No first aid is normally required**5. FIRE FIGHTING MEASURES****FLASHPOINT AND METHOD:** NA = Not Applicable**FLAMMABLE LIMITS:** N/A to N/A**AUTOIGNITION TEMPERATURE:** NA = Not Applicable**FLAMMABLE CLASS:** Unrated**EXTINGUISHING MEDIA:** Dry chemical, Water, Water fog, Alcohol foam**EXPLOSION HAZARDS:** NA = Not Applicable**FIRE FIGHTING PROCEDURES:** No special procedures required**FIRE FIGHTING EQUIPMENT:** No Special Equipment Required**FIRE EXPLOSION:** NA = Not Applicable**SENSITIVE TO STATIC DISCHARGE:** NA = Not Applicable**SENSITIVITY TO IMPACT:** NA = Not Applicable**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Clean-up with mop or sponge**LARGE SPILL:** NA = Not Applicable**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** NA = Not Applicable**LAND SPILL:** NA = Not Applicable**AIR SPILL:** NA = Not Applicable**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Avoid heat and sunlight may cause discoloration**HANDLING:** Wear eye protection and Impervious gloves and wash with soap and water after use.**STORAGE:** Store in a cool place in original container and protect from sunlight.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140682

AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK

LOADING/UNLOADING VISCOSITY: 60000 to 90000**ELECTROSTATIC ACCUMULATION HAZARD:** NA = Not Applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Avoid contact with eyes**SKIN:** S37: Wear suitable gloves.**RESPIRATORY:** NA = Not Applicable**PROTECTIVE CLOTHING:** No special clothing required**WORK HYGIENIC PRACTICES:** Wash with soap and water after use**OTHER USE PRECAUTIONS:** Never eat, drink or smoke in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid**ODOR:** Citrus**APPEARANCE:** Brown Liquid**COLOR:** Dark Brown**pH:** 9.8 to 10.8**PERCENT VOLATILE:** 00**FLASHPOINT AND METHOD:** NA = Not Applicable**SOLUBILITY IN WATER:** Soluble**VISCOSITY #1:** 60000 to 90000 cps**(VOC):** ~**OXIDIZING PROPERTIES:** NA = Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Eye irritation**SKIN EFFECTS:** MAY CAUSE SLIGHT IRRITATION AND WILL STAIN THE SKIN**CARCINOGENICITY****IARC:** NA = Not Applicable**NTP:** NA = Not Applicable**OSHA:** NA = Not Applicable

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: THIS PRODUCT CONTAINS A SMALL AMOUNT OF ENVIRONMENTALLY

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140682

AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK

HAZARDOUS SUBSTANCE

AQUATIC TOXICITY (ACUTE): Slightly toxic for aquatic organisms**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with Federal, State and Local regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable**EUROPEAN WASTE CATALOGUE:** NA = Not Applicable**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Not Regulated**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** NA = Not Applicable**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** NA = Not Applicable**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** NA = Not Applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** YES, ISOSTEARIC ACID IN SMALL AMOUNTS**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** YES**CLEAN AIR ACT****40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION:** NA = Not Applicable**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)****29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS:** NA = Not Applicable**REGULATIONS****STATE REGULATIONS:** NA = Not Applicable**LOCAL REGULATIONS:** NA = Not Applicable**CALIFORNIA PROPOSITION 65:** NA = Not Applicable**RCRA STATUS:** NA = Not Applicable**OSHA HAZARD COMM. RULE:** EYE IRRITANT**CLEAN WATER ACT:** NA = Not Applicable

MATERIAL SAFETY DATA SHEET


Consumer Product

Date Issued: 03/15/2010

MSDS No: 140682

AMERICAN CREW PRECISION BLEND HAIRCOLOR - DARK**NATIONAL RESPONSE CENTER:** NA = Not Applicable**CARCINOGEN:** NOT LISTED AS A CARCINOGEN**CANADA****WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** NA = Not Applicable**MEXICO** NA = Not Applicable**16. OTHER INFORMATION****REASON FOR ISSUE:** New Product**APPROVED BY:** THE R&D DEPARTMENT**PREPARED BY:** THE SAFETY DEPARTMENT**REVISION SUMMARY:** New MSDS**HMIS RATING**

| | |
|-----------------------------|----------|
| HEALTH: | 2 |
| FLAMMABILITY: | 0 |
| PHYSICAL HAZARD: | 0 |
| PERSONAL PROTECTION: | |

NFPA CODES**MANUFACTURER SUPPLEMENTAL NOTES:** Read all warning and directions carefully before using on packaging.**ADDITIONAL MSDS INFORMATION:** Keep out of reach of children

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized technical sources. While the information is believed to be accurate Colomer USA, Inc. makes no representation as to its accuracy or sufficiency. Judgment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.

MANUFACTURER DISCLAIMER: AVOID CONTACT WITH EYES & WEAR GLOVES

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140679

AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT
GENERAL USE: Haircolor
PRODUCT DESCRIPTION: AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT
PRODUCT CODE: 100305
PRODUCT FORMULATION NAME: AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT
CHEMICAL FAMILY: HAIR CARE
GENERIC NAME: HAIR COLOR

MANUFACTURER

Colomer USA
5344 Overmyer Drive
Jacksonville, FL 32254
Service Number: 904-366-5535

DISTRIBUTOR

American Crew

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) :(613) 996 - 6666
CHEMTREC (US Transportation) :(800) 424 - 9300

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Liquid

IMMEDIATE CONCERNS: MAY DAMAGE THE EYE

POTENTIAL HEALTH EFFECTS

EYES: Can cause severe eye irritation.

SKIN: Prolonged or repeated contact may cause skin irritation.

SKIN ABSORPTION: NA = Not Applicable

INGESTION: Moderately toxic.

INHALATION: Low hazard for usual industrial or commercial handling.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact with product may cause irritation, tears, redness and pain

SKIN: MINIMAL IRRITATION

SKIN ABSORPTION: NA = Not Applicable

INGESTION: SINGLE DOSE ORAL TOXICITY IS CONSIDERED SLIGHTLY TOXIC. SMALL AMOUNTS SWALLOWED INCIDENTAL ARE NOT LIKELY TO CAUSE INJURY.

INHALATION: None Expected.

ACUTE TOXICITY: PROLONGED CONTACT WITH THE EYES CAN CAUSE DAMAGE

CHRONIC EFFECTS: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

CARCINOGENICITY: Not Listed as a carcinogen

MEDICAL CONDITIONS AGGRAVATED: None Expected.

ROUTES OF ENTRY: EYES

TARGET ORGAN STATEMENT: Eyes

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140679

AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT**CANCER STATEMENT:** Not classified as carcinogenicity by OSHA, NTP, IARC or EPA**WARNING CAUTION LABELS:** None**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name | Vol. % | CAS | EINECS |
|-------------------|------------|----------|-----------|
| Ethanol, 2-amino- | <= 4.9 - 5 | 141-43-5 | 205-483-3 |

4. FIRST AID MEASURES**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.**SKIN:** Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.**INGESTION:** Get medical attention immediately.**INHALATION:** No first aid is normally required**5. FIRE FIGHTING MEASURES****FLASHPOINT AND METHOD:** NA = Not Applicable**FLAMMABLE LIMITS:** N/A to N/A**AUTOIGNITION TEMPERATURE:** NA = Not Applicable**FLAMMABLE CLASS:** Unrated**EXTINGUISHING MEDIA:** Dry chemical, Water, Water fog, Alcohol foam**EXPLOSION HAZARDS:** NA = Not Applicable**FIRE FIGHTING PROCEDURES:** No special procedures required**FIRE FIGHTING EQUIPMENT:** No Special Equipment Required**FIRE EXPLOSION:** NA = Not Applicable**SENSITIVE TO STATIC DISCHARGE:** NA = Not Applicable**SENSITIVITY TO IMPACT:** NA = Not Applicable**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Clean-up with mop or sponge**LARGE SPILL:** NA = Not Applicable**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** NA = Not Applicable**LAND SPILL:** NA = Not Applicable**AIR SPILL:** NA = Not Applicable**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Avoid heat and sunlight may cause discoloration**HANDLING:** Wear eye protection and impervious gloves and wash with soap and water after use.**STORAGE:** Store in a cool place in original container and protect from sunlight.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140679

AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT

LOADING/UNLOADING VISCOSITY: 60000 to 90000 cps**ELECTROSTATIC ACCUMULATION HAZARD:** NA = Not Applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Avoid contact with eyes**SKIN:** S37: Wear suitable gloves.**RESPIRATORY:** NA = Not Applicable**PROTECTIVE CLOTHING:** No special clothing required**WORK HYGIENIC PRACTICES:** Wash with soap and water after use**OTHER USE PRECAUTIONS:** Never eat, drink or smoke in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid**ODOR:** Citrus**APPEARANCE:** Brown Liquid**COLOR:** Brown**pH:** 9.8 to 10.8**PERCENT VOLATILE:** 0**FLASHPOINT AND METHOD:** NA = Not Applicable**SOLUBILITY IN WATER:** Soluble**VISCOSITY #1:** 60000 to 90000**(VOC):** ~**OXIDIZING PROPERTIES:** NA = Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Eye Irritation**SKIN EFFECTS:** MAY CAUSE SLIGHT IRRITATION AND WILL STAIN THE SKIN**CARCINOGENICITY****IARC:** NA = Not Applicable**NTP:** NA = Not Applicable**OSHA:** NA = Not Applicable

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: THIS PRODUCT CONTAINS A SMALL AMOUNT OF ENVIRONMENTALLY

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140679

AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT

HAZARDOUS SUBSTANCE

AQUATIC TOXICITY (ACUTE): Slightly toxic for aquatic organisms**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with Federal, State and Local regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable**EUROPEAN WASTE CATALOGUE:** NA = Not Applicable**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Not Regulated**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** NA = Not Applicable**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** NA = Not Applicable**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** NA = Not Applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** YES, ISOSTEARIC ACID IN SMALL AMOUNTS**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** YES**CLEAN AIR ACT****40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE****PREVENTION:** NA = Not Applicable**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)****29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS****CHEMICALS:** NA = Not Applicable**REGULATIONS****STATE REGULATIONS:** NA = Not Applicable**LOCAL REGULATIONS:** NA = Not Applicable**CALIFORNIA PROPOSITION 65:** NA = Not Applicable**RCRA STATUS:** NA = Not Applicable**OSHA HAZARD COMM. RULE:** EYE IRRITANT**CLEAN WATER ACT:** NA = Not Applicable

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010
MSDS No: 140679

AMERICAN CREW PRECISION BLEND HAIRCOLOR - LIGHT

NATIONAL RESPONSE CENTER: NA = Not Applicable

CARCINOGEN: NOT LISTED AS A CARCINOGEN

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): NA = Not Applicable

MEXICO NA = Not Applicable

16. OTHER INFORMATION

REASON FOR ISSUE: New Product

APPROVED BY: THE R&D DEPARTMENT


PREPARED BY: THE SAFETY DEPARTMENT

REVISION SUMMARY: New MSDS

HMIS RATING

| | |
|-----------------------------|----------|
| HEALTH: | 2 |
| FLAMMABILITY: | 0 |
| PHYSICAL HAZARD: | 0 |
| PERSONAL PROTECTION: | |

NFPA CODES



MANUFACTURER SUPPLEMENTAL NOTES: Read all warning and directions carefully before using on packaging.

ADDITIONAL MSDS INFORMATION: Keep out of reach of children

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized technical sources. While the information is believed to be accurate Colomer USA, Inc. makes no representation as to its accuracy or sufficiency. Judgment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of it's use.

MANUFACTURER DISCLAIMER: AVOID CONTACT WITH EYES & WEAR GLOVES

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140681

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM

GENERAL USE: Haircolor

PRODUCT DESCRIPTION: AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM

PRODUCT CODE: 100307

PRODUCT FORMULATION NAME: AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM

CHEMICAL FAMILY: HAIR CARE

GENERIC NAME: HAIR COLOR

MANUFACTURER

Colomer USA

5344 Overmyer Drive

Jacksonville, FL 32254

Service Number: 904-366-5535

DISTRIBUTOR

American Crew

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) :(613) 996 - 6666

CHEMTREC (US Transportation) :(800) 424 - 9300

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Liquid

IMMEDIATE CONCERNS: MAY DAMAGE THE EYE

POTENTIAL HEALTH EFFECTS

EYES: Can cause severe eye irritation.

SKIN: Prolonged or repeated contact may cause skin irritation.

SKIN ABSORPTION: NA = Not Applicable

INGESTION: Moderately toxic.

INHALATION: Low hazard for usual industrial or commercial handling.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact with product may cause irritation, tears, redness and pain

SKIN: MINIMAL IRRITATION

SKIN ABSORPTION: NA = Not Applicable

INGESTION: SINGLE DOSE ORAL TOXICITY IS CONSIDERED SLIGHTLY TOXIC. SMALL AMOUNTS SWALLED INCIDENTAL ARE NOT LIKELY TO CAUSE INJURY.

INHALATION: None Expected.

ACUTE TOXICITY: PROLONGED CONTACT WITH THE EYES CAN CAUSE DAMAGE

CHRONIC EFFECTS: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

CARCINOGENICITY: Not Listed as a carcinogen

MEDICAL CONDITIONS AGGRAVATED: None Expected.

ROUTES OF ENTRY: EYES

TARGET ORGAN STATEMENT: Eyes

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140681

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM**CANCER STATEMENT:** Not classified as carcinogenicity by OSHA, NTP, IARC or EPA**WARNING CAUTION LABELS:** None**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Chemical Name | Vol. % | CAS | EINECS |
|-------------------|------------|----------|-----------|
| Ethanol, 2-amino- | <= 4.8 - 5 | 141-43-5 | 205-483-3 |

4. FIRST AID MEASURES**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.**SKIN:** Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.**INGESTION:** Get medical attention immediately.**INHALATION:** No first aid is normally required**5. FIRE FIGHTING MEASURES****FLASHPOINT AND METHOD:** NA = Not Applicable**FLAMMABLE LIMITS:** N/A to N/A**AUTOIGNITION TEMPERATURE:** NA = Not Applicable**FLAMMABLE CLASS:** Unrated**EXTINGUISHING MEDIA:** Dry chemical, Water, Water fog, Alcohol foam**EXPLOSION HAZARDS:** Not Applicable**FIRE FIGHTING PROCEDURES:** No special procedures required**FIRE FIGHTING EQUIPMENT:** No Special Equipment Required**FIRE EXPLOSION:** NA = Not Applicable**SENSITIVE TO STATIC DISCHARGE:** NA = Not Applicable**SENSITIVITY TO IMPACT:** NA = Not Applicable**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Clean-up with mop or sponge**LARGE SPILL:** NA = Not Applicable**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** NA = Not Applicable**LAND SPILL:** NA = Not Applicable**AIR SPILL:** NA = Not Applicable**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Avoid heat and sunlight may cause discoloration**HANDLING:** Wear eye protection and Impervious gloves and wash with soap and water after use.**STORAGE:** Store in a cool place in original container and protect from sunlight.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140681

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM

LOADING/UNLOADING VISCOSITY: 60000 to 90000 cps**ELECTROSTATIC ACCUMULATION HAZARD:** NA = Not Applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Avoid contact with eyes**SKIN:** S37: Wear suitable gloves.**RESPIRATORY:** NA = Not Applicable**PROTECTIVE CLOTHING:** No special clothing required**WORK HYGIENIC PRACTICES:** Wash with soap and water after use**OTHER USE PRECAUTIONS:** Never eat, drink or smoke in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid**ODOR:** Citrus**APPEARANCE:** Brown Liquid**COLOR:** Brown**pH:** 9.8 to 10.8**PERCENT VOLATILE:** 0**FLASHPOINT AND METHOD:** NA = Not Applicable**SOLUBILITY IN WATER:** Soluble**VISCOSITY #1:** 60000 to 90000 cps**(VOC):** ~**OXIDIZING PROPERTIES:** NA = Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Eye irritation**SKIN EFFECTS:** MAY CAUSE SLIGHT IRRITATION AND WILL STAIN THE SKIN**CARCINOGENICITY****IARC:** NA = Not Applicable**NTP:** NA = Not Applicable**OSHA:** NA = Not Applicable

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: THIS PRODUCT CONTAINS A SMALL AMOUNT OF ENVIRONMENTALLY

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140681

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM

HAZARDOUS SUBSTANCE

AQUATIC TOXICITY (ACUTE): Slightly toxic for aquatic organisms**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with Federal, State and Local regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable**EUROPEAN WASTE CATALOGUE:** NA = Not Applicable**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Not Regulated**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** NA = Not Applicable**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** NA = Not Applicable**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** NA = Not Applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** YES, ISOSTEARIC ACID IN SMALL AMOUNTS**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** YES**CLEAN AIR ACT****40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE****PREVENTION:** NA = Not Applicable**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)****29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS****CHEMICALS:** NA = Not Applicable**REGULATIONS****STATE REGULATIONS:** NA = Not Applicable**LOCAL REGULATIONS:** NA = Not Applicable**CALIFORNIA PROPOSITION 65:** NA = Not Applicable**RCRA STATUS:** NA = Not Applicable**OSHA HAZARD COMM. RULE:** EYE IRRITANT**CLEAN WATER ACT:** NA = Not Applicable

MATERIAL SAFETY DATA SHEET


Consumer Product

Date Issued: 03/15/2010

MSDS No: 140681

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM**NATIONAL RESPONSE CENTER:** NA = Not Applicable**CARCINOGEN:** NOT LISTED AS A CARCINOGEN**CANADA****WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** NA = Not Applicable**MEXICO** NA = Not Applicable**16. OTHER INFORMATION****REASON FOR ISSUE:** New Product**APPROVED BY:** THE R&D DEPARTMENT**PREPARED BY:** THE SAFETY DEPARTMENT**REVISION SUMMARY:** New MSDS**HMIS RATING**

| | |
|-----------------------------|----------|
| HEALTH: | 2 |
| FLAMMABILITY: | 0 |
| PHYSICAL HAZARD: | 0 |
| PERSONAL PROTECTION: | |

NFPA CODES**MANUFACTURER SUPPLEMENTAL NOTES:** Read all warning and directions carefully before using on packaging.**ADDITIONAL MSDS INFORMATION:** Keep out of reach of children

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized technical sources. While the information is believed to be accurate Colomer USA, Inc. makes no representation as to its accuracy or sufficiency. Judgment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of it's use.

MANUFACTURER DISCLAIMER: AVOID CONTACT WITH EYES & WEAR GLOVES

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140680

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH**GENERAL USE:** Haircolor**PRODUCT DESCRIPTION:** AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH**PRODUCT CODE:** 100306**PRODUCT FORMULATION NAME:** AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH**CHEMICAL FAMILY:** HAIR CARE**GENERIC NAME:** HAIR COLOR**MANUFACTURER**

Colomer USA
5344 Overmyer Drive
Jacksonville, FL 32254
Service Number: 904-366-5535

DISTRIBUTOR

American Crew

24 HR. EMERGENCY TELEPHONE NUMBERS**CANUTEC (Canadian Transportation) :**(613) 996 - 6666**CHEMTREC (US Transportation) :**(800) 424 - 9300

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW**PHYSICAL APPEARANCE:** Liquid**IMMEDIATE CONCERNS:** MAY DAMAGE THE EYE**POTENTIAL HEALTH EFFECTS****EYES:** Can cause severe eye irritation.**SKIN:** Prolonged or exposure may cause skin irritation.**SKIN ABSORPTION:** NA = Not Applicable**INGESTION:** Moderately toxic.**INHALATION:** Low hazard for usual industrial or commercial handling.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye contact with product may cause irritation, tears, redness and pain**SKIN:** MINIMAL IRRITATION**SKIN ABSORPTION:** NA = Not Applicable**INGESTION:** SINGLE DOSE ORAL TOXICITY IS CONSIDERED SLIGHTLY TOXIC. SMALL AMOUNTS SWALLED INCIDENTAL ARE NOT LIKELY TO CAUSE INJURY.**INHALATION:** None Expected.**ACUTE TOXICITY:** PROLONGED CONTACT WITH THE EYES CAN CAUSE DAMAGE**CHRONIC EFFECTS:** Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).**CARCINOGENICITY:** Not Listed as a carcinogen**MEDICAL CONDITIONS AGGRAVATED:** None Expected.**ROUTES OF ENTRY:** EYES**TARGET ORGAN STATEMENT:** Eyes

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140680

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH

CANCER STATEMENT: Not classified as carcinogenicity by OSHA, NTP, IARC or EPA

WARNING CAUTION LABELS: None

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Vol. % | CAS | EINECS |
|-------------------|------------|----------|-----------|
| Ethanol, 2-amino- | <= 4.9 - 5 | 141-43-5 | 205-483-3 |

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

INGESTION: Get medical attention immediately.

INHALATION: No first aid is normally required

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: NA = Not Applicable

FLAMMABLE LIMITS: N/A to N/A

AUTOIGNITION TEMPERATURE: NA = Not Applicable

FLAMMABLE CLASS: Unrated

EXTINGUISHING MEDIA: Dry chemical, Water, Water fog, Alcohol foam

EXPLOSION HAZARDS: Not Applicable

FIRE FIGHTING PROCEDURES: No special procedures required

FIRE FIGHTING EQUIPMENT: No Special Equipment Required

FIRE EXPLOSION: NA = Not Applicable

SENSITIVE TO STATIC DISCHARGE: NA = Not Applicable

SENSITIVITY TO IMPACT: NA = Not Applicable

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Clean-up with mop or sponge

LARGE SPILL: NA = Not Applicable

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: NA = Not Applicable

LAND SPILL: NA = Not Applicable

AIR SPILL: NA = Not Applicable

GENERAL PROCEDURES: Clean-up with normal janitorial supplies

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Avoid heat and sunlight may cause discoloration

HANDLING: Wear eye protection and impervious gloves and wash with soap and water after use.

STORAGE: Store in a cool place in original container and protect from sunlight.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140680

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH

LOADING/UNLOADING VISCOSITY: 60000 to 90000 cps**ELECTROSTATIC ACCUMULATION HAZARD:** NA = Not Applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Avoid contact with eyes**SKIN:** S37: Wear suitable gloves.**RESPIRATORY:** NA = Not Applicable**PROTECTIVE CLOTHING:** No special clothing required**WORK HYGIENIC PRACTICES:** Wash with soap and water after use**OTHER USE PRECAUTIONS:** Never eat, drink or smoke in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid**ODOR:** Citrus**APPEARANCE:** Brown Liquid**COLOR:** Brown**pH:** 9.8 to 10.8**PERCENT VOLATILE:** 0**FLASHPOINT AND METHOD:** NA = Not Applicable**SOLUBILITY IN WATER:** Soluble**VISCOSITY #1:** 60000 to 90000 cps**(VOC):** ~**OXIDIZING PROPERTIES:** NA = Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes**HAZARDOUS POLYMERIZATION:** No

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Eye irritation**SKIN EFFECTS:** MAY CAUSE SLIGHT IRRITATION AND WILL STAIN THE SKIN**CARCINOGENICITY****IARC:** NA = Not Applicable**NTP:** NA = Not Applicable**OSHA:** NA = Not Applicable

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: THIS PRODUCT CONTAINS A SMALL AMOUNT OF ENVIRONMENTALLY

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010

MSDS No: 140680

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH

HAZARDOUS SUBSTANCE

AQUATIC TOXICITY (ACUTE): Slightly toxic for aquatic organisms**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Dispose in accordance with Federal, State and Local regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** NA = Not Applicable**EUROPEAN WASTE CATALOGUE:** NA = Not Applicable**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)****PROPER SHIPPING NAME:** Not Regulated**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** NA = Not Applicable**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** NA = Not Applicable**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** NA = Not Applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** YES, ISOSTEARIC ACID IN SMALL AMOUNTS**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** YES**CLEAN AIR ACT****40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE****PREVENTION:** NA = Not Applicable**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)****29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS****CHEMICALS:** NA = Not Applicable**REGULATIONS****STATE REGULATIONS:** NA = Not Applicable**LOCAL REGULATIONS:** NA = Not Applicable**CALIFORNIA PROPOSITION 65:** NA = Not Applicable**RCRA STATUS:** NA = Not Applicable**OSHA HAZARD COMM. RULE:** EYE IRRITANT**CLEAN WATER ACT:** NA = Not Applicable

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 03/15/2010
MSDS No: 140680

AMERICAN CREW PRECISION BLEND HAIRCOLOR - MEDIUM ASH

NATIONAL RESPONSE CENTER: NA = Not Applicable

CARCINOGEN: NOT LISTED AS A CARCINOGEN

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): NA = Not Applicable

MEXICO NA = Not Applicable

16. OTHER INFORMATION

REASON FOR ISSUE: New Product

APPROVED BY: THE R&D DEPARTMENT


PREPARED BY: THE SAFETY DEPARTMENT

REVISION SUMMARY: New MSDS

HMIS RATING

| | |
|-----------------------------|----------|
| HEALTH: | 2 |
| FLAMMABILITY: | 0 |
| PHYSICAL HAZARD: | 0 |
| PERSONAL PROTECTION: | |

NFPA CODES



MANUFACTURER SUPPLEMENTAL NOTES: Read all warning and directions carefully before using on packaging.

ADDITIONAL MSDS INFORMATION: Keep out of reach of children

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized technical sources. While the information is believed to be accurate Colomer USA, Inc. makes no representation as to its accuracy or sufficiency. Judgment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of it's use.

MANUFACTURER DISCLAIMER: AVOID CONTACT WITH EYES & WEAR GLOVES