

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Creme Lightener

Page 1 of 5

MSDS Number: 0147

Revision Date: 12/18/2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Penbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: CHI Blondest Blonde Creme Lightener
Revision Date: 12/18/2007
MSDS Number: 0147
Synonyms: CHI Creme Lightener
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Potassium Persulfate 33% - 42%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Inhalation
Skin

Target Organs: None.

Inhalation: Misuse of this product may cause dizziness.

Skin Contact: May cause skin irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove to fresher air supply.

Skin Contact: Wash with soap and water for 15 minutes.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Creme Lightener

Page 2 of 5

MSDS Number: 0147

Revision Date: 12/18/2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Creme Lightener

Page 3 of 5

MSDS Number: 0147

Revision Date: 12/18/2007

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pale, greyish-purple color	Boiling Point:	N/A
Physical State:	Creme	Freezing/Melting Pt.:	N/A
Odor:	Pleasant, grape fragrance	Solubility:	Soluble in water.
pH:	10.5 - 11.5	Spec Grav./Density:	N/A
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: None.

Materials to avoid (Incompatibility): Keep away from strong acids, reducing chemicals and heavy metals.

Hazardous Decomposition products: Releases oxygen which may intensify a fire.

Hazardous Polymerization: Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Creme Lightener

Page 4 of 5

MSDS Number: 0147

Revision Date: 12/18/2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: Oxidizing Liquid, nos(Potassium Persulfate mixture) - UN3139, PG III
Class: 5.1 - Oxidizer

IATA CLASSIFICATION: Shipping Name: Oxidizing Liquid, nos (Potassium Persulfate mixture) - UN3139, PG III
Class: 5.1 - Oxidizer
Pkg Inst - Y514

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Sodium Metasilicate.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Creme Lightener

Page 5 of 5

MSDS Number: 0147

Revision Date: 12/18/2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

- 0 = Normal
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Powder Lightener

Page 1 of 5

MSDS Number: 0617

Revision Date: June 19, 2008

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbriht Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: CHI Blondest Blonde Powder Lightener
Revision Date: June 19, 2008
MSDS Number: 0617
Synonyms: CHI Powder Lightener
Product Use: Toiletry, Cosmetic Applications

2

COMPOSITION/INFORMATION ON INGREDIENTS

Potassium persulfate 20% - 44%

3

HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Inhalation
Skin

Target Organs: None.

Inhalation: May cause irritation of respiratory tract.
Skin Contact: May cause skin irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: May cause irritation to the digestive tract.

4

FIRST AID MEASURES

Inhalation: Remove to fresher air supply.
Skin Contact: Wash with soap and water for 15 minutes. If skin irritation persists, call a physician.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention immediately.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Powder Lightener

Page 2 of 5

MSDS Number: 0617

Revision Date: June 19, 2008

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: It may release oxygen which supports combustion.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, wear protective gloves.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely, since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Powder Lightener

Page 3 of 5

MSDS Number: 0617

Revision Date: June 19, 2008

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pale, purple powder	Boiling Point:	N/A
Physical State:	Powder	Freezing/Melting Pt.:	N/A
Odor:	Cherry fragrance	Solubility:	Dispersible
pH:	10.5 - 11.5 after mixed with hydrogen peroxide	Spec Grav./Density:	N/A
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: None.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals.

Hazardous Decomposition products: Releases oxygen which may intensify a fire.

Hazardous Polymerization: Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Powder Lightener

Page 4 of 5

MSDS Number: 0617

Revision Date: June 19, 2008

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: Oxidizing Solid, NOS(Potassium Persulfate mixture) - UN1479, PG III
Class: 5.1 - Oxidizer

IATA CLASSIFICATION: Shipping Name: Oxidizing Solid, NOS (Potassium Persulfate mixture)- UN1479, PG III
Class: 5.1 - Oxidizer
Pkg Inst - Y516

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Sodium Metasilicate.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Blondest Blonde Powder Lightener

Page 5 of 5

MSDS Number: 0617

Revision Date: June 19, 2008

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 10 Volume

Page 1 of 5

MSDS Number: 0141

Revision Date: November 12, 2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: CHI Color Generators - 10 Volume
Revision Date: November 12, 2007
MSDS Number: 0141
Synonyms: CHI - 10 Volume
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Hydrogen Peroxide 2.80% - 3.20 % by volume

3 HAZARDS IDENTIFICATION

Route of Entry: Ingestion
Eyes
Inhalation

Target Organs: None.

Inhalation: If used improperly, this product may cause dizziness, headache and difficulty in breathing.

Skin Contact: May cause slight irritation to the skin.

Eye Contact: May cause burning and irritation to the eyes.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from contaminated area to fresh air.

Skin Contact: Wash with soap and water.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 10 Volume

Page 2 of 5

MSDS Number: 0141

Revision Date: November 12, 2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

None.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

Not available.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is non-flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating. Containers may build up pressure at elevated temperatures.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90°F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 10 Volume

Page 3 of 5

MSDS Number: 0141

Revision Date: November 12, 2007

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Viscous Liquid	Boiling Point:	220 ° F
Physical State:	Liquid	Freezing/Melting Pt.:	N/A
Odor:	No odor	Solubility:	Soluble in water.
pH:	3.0 - 4.0	Spec Grav./Density:	1.020 -1.040 @ 22°C
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Temperatures over 140° F.
Materials to avoid (incompatibility):	Strong oxidizing agents.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 10 Volume

Page 4 of 5

MSDS Number: 0141

Revision Date: November 12, 2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI - Color Generator 10 Volume
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: CHI - Color Generator 10 Volume
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: CHI - Color Generator 10 Volume
Class: None.
Non-regulated, non-hazardous

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Hydrogen Peroxide.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 10 Volume

Page 5 of 5

MSDS Number: 0141

Revision Date: November 12, 2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 20 Volume

Page 1 of 5

MSDS Number: 0142

Revision Date: November 12, 2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbriht Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: CHI Color Generators - 20 Volume
Revision Date: November 12, 2007
MSDS Number: 0142
Synonyms: CHI - 20 Volume
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Hydrogen Peroxide 6.80% - 7.30% by volume

3 HAZARDS IDENTIFICATION

Route of Entry: Ingestion
Eyes
Inhalation

Target Organs: None.

Inhalation: If used improperly, this product may cause dizziness, headache and difficulty in breathing.

Skin Contact: May cause slight irritation to the skin.

Eye Contact: May cause burning and irritation to the eyes.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from contaminated area to fresh air.

Skin Contact: Wash with soap and water.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 20 Volume

Page 2 of 5

MSDS Number: 0142

Revision Date: November 12, 2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

None.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

Not available.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is non-flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating. Containers may build up pressure at elevated temperatures.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90°F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 20 Volume

Page 3 of 5

MSDS Number: 0142

Revision Date: November 12, 2007

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Viscous Liquid	Boiling Point:	220 ° F
Physical State:	Liquid	Freezing/Melting Pt.:	N/A
Odor:	No odor	Solubility:	Soluble in water.
pH:	3.0 - 4.0	Spec Grav./Density:	1.020 -1.040 @ 22°C
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Temperatures over 140° F.
Materials to avoid (Incompatibility):	Strong oxidizing agents.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 20 Volume

Page 4 of 5

MSDS Number: 0142

Revision Date: November 12, 2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI - Color Generator 20 Volume
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: CHI - Color Generator 20 Volume
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: CHI - Color Generator 20 Volume
Class: None.
Non-regulated, non-hazardous

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Hydrogen Peroxide.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 20 Volume

Page 5 of 5

MSDS Number: 0142

Revision Date: November 12, 2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 30 Volume

Page 1 of 5

MSDS Number: 0143

Revision Date: November 12, 2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: CHI Color Generators - 30 Volume
Revision Date: November 12, 2007
MSDS Number: 0143
Synonyms: CHI - 30 Volume
Product Use: Toletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Hydrogen Peroxide 9.0% - 9.50% by volume

3 HAZARDS IDENTIFICATION

Route of Entry: Ingestion
Eyes
Inhalation
Target Organs: None.
Inhalation: If used improperly, this product may cause dizziness, headache and difficulty in breathing.
Skin Contact: May cause slight irritation to the skin.
Eye Contact: May cause burning and irritation to the eyes.
Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from contaminated area to fresh air.
Skin Contact: Wash with soap and water.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 30 Volume

Page 2 of 5

MSDS Number: 0143

Revision Date: November 12, 2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

None.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

Not available.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is non-flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating. Containers may build up pressure at elevated temperatures.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90°F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 30 Volume

Page 3 of 5

MSDS Number: 0143

Revision Date: November 12, 2007

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Viscous Liquid	Boiling Point:	220 ° F
Physical State:	Liquid	Freezing/Melting Pt.:	N/A
Odor:	No odor	Solubility:	Soluble in water.
pH:	3.0 - 4.0	Spec Grav./Density:	1.020 -1.040 @ 22°C
Vapor Pressure:	N/A		
Vapor Density:			

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Temperatures over 140° F.
Materials to avoid (incompatibility):	Strong oxidizing agents.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 30 Volume

Page 4 of 5

MSDS Number: 0143

Revision Date: November 12, 2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: Hydrogen Peroxide, aqueous solution, UN2984, PG III
Class: 5.1

IATA CLASSIFICATION: Shipping Name: Hydrogen Peroxide, aqueous solution, UN2984, PG III
Class: 5.1

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Hydrogen Peroxide.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 30 Volume

Page 5 of 5

MSDS Number: 0143

Revision Date: November 12, 2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 40 Volume

Page 1 of 5

MSDS Number: 0144

Revision Date: November 12, 2007

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: CHI Color Generators - 40 Volume
Revision Date: November 12, 2007
MSDS Number: 0144
Synonyms: CHI - 40 Volume
Product Use: Toiletry, Cosmetic Applications

2

COMPOSITION/INFORMATION ON INGREDIENTS

Hydrogen Peroxide 11.8% - 12.5% by volume

3

HAZARDS IDENTIFICATION

Route of Entry: Ingestion
Eyes
Inhalation

Target Organs: None.

Inhalation: If used improperly, this product may cause dizziness, headache and difficulty in breathing.

Skin Contact: May cause slight irritation to the skin.

Eye Contact: May cause burning and irritation to the eyes.

Ingestion: May cause irritation to the digestive tract.

4

FIRST AID MEASURES

Inhalation: Remove person from contaminated area to fresh air.

Skin Contact: Wash with soap and water.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 40 Volume

Page 2 of 5

MSDS Number: 0144

Revision Date: November 12, 2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

None.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

Not available.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is non-flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating. Containers may build up pressure at elevated temperatures.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90°F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 40 Volume

Page 3 of 5

MSDS Number: 0144

Revision Date: November 12, 2007

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Viscous Liquid	Boiling Point:	220 ° F
Physical State:	Liquid	Freezing/Melting Pt.:	N/A
Odor:	No odor	Solubility:	Soluble in water.
pH:	3.0 - 4.0	Spec Grav./Density:	1.020 -1.040 @ 22°C
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Temperatures over 140° F.
Materials to avoid (incompatibility):	Strong oxidizing agents.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 40 Volume

Page 4 of 5

MSDS Number: 0144

Revision Date: November 12, 2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: Hydrogen Peroxide, aqueous solution, UN2984, PG III
Class: 5.1

IATA CLASSIFICATION: Shipping Name: Hydrogen Peroxide, aqueous solution, UN2984, PG III
Class: 5.1

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Hydrogen Peroxide.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Color Generators - 40 Volume

Page 5 of 5

MSDS Number: 0144

Revision Date: November 12, 2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT



SAFETY DATA SHEET

Issue Date 22-Aug-2013

Revision Date 05-Feb-2014

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name CHI Ionic Color Guard Spray

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Cosmetics. Personal care.

Uses advised against All other uses

Details of the supplier of the safety data sheet

Manufacturer Address	E-mail address	regulatory@farouk.com
Farouk Systems Inc. 250 Pennbriht Drive Houston, Texas 77090 Company Phone Number 1-800-237-9175		

Emergency telephone number

Company Phone Number	1-800-237-9175
Emergency Telephone	Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

Consumer Use; While this product is not considered hazardous by the OSHA Hazard Communication Standard, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

Label elements

Emergency Overview

Appearance aqueous solution	Physical state liquid	Odor Pleasant
------------------------------------	------------------------------	----------------------

Hazards not otherwise classified (HNOC)

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: The product(s) does not contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and/or WHMIS under the HPA.

4. FIRST AID MEASURES

First aid measures

General advice No hazards which require special first aid measures. When symptoms persist or in all cases of doubt seek medical advice.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. If discomfort or irritation persists, seek medical attention.

Skin Contact If skin problems occur, discontinue use. If symptoms persist, seek medical attention.

Inhalation Not an expected route of exposure.

Ingestion In case of accidental ingestion, DO NOT INDUCE VOMITING. Contact Poison Control Center or local emergency telephone number for assistance. Seek immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO₂, water spray or alcohol-resistant foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Flash point Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection No special technical protective measures are necessary.

Skin and body protection No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations None under normal use conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid	Odor	Pleasant
Appearance	aqueous solution	Odor threshold	No information available
Color	clear		
Property	Values	Remarks • Method	
pH	4.2-5.5		
Melting point/freezing point	Not Applicable		

Boiling point / boiling range	> No information available
Flash point	Not Applicable
Evaporation rate	Not Applicable
Flammability (solid, gas)	Not Applicable
Flammability Limit in Air	
Upper flammability limit	-
Lower flammability limit	-
Vapor pressure	Not Applicable
Vapor density	Not Applicable
Specific Gravity	Not Applicable
Water solubility	Soluble in water
Viscosity	No information available

Other Information

Molecular weight	Not Applicable
VOC Content (%)	No information available
Density	Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization	Hazardous polymerization does not occur.
---------------------------------	------------------------------------------

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-

VP/VA Copolymer 25086-89-9	> 630 mg/kg (Rat)	-	-
-------------------------------	---------------------	---	---

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity**Persistence and degradability**

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Dispose of contents/containers in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number 17

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 0	Flammability 0	Physical hazards 0	Personal protection X

Issue Date	22-Aug-2013
Revision Date	05-Feb-2014
Revision Note	

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 1N

MSDS Number: 0864

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbriht Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 1N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0864
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 1N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 1N

MSDS Number: 0864

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adupe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 1N

MSDS Number: 0864

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 1N

MSDS Number: 0864

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 1N

MSDS Number: 0864

Revision Date: 02/01/12

Page 5 of 6

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 1N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 1N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 1N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 1N

MSDS Number: 0864

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 2N

MSDS Number: 0865

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 2N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0865
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 2N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 2N

MSDS Number: 0865

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 2N

MSDS Number: 0865

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 2N

MSDS Number: 0865

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 2N

MSDS Number: 0865

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 2N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 2N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 2N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolanine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 2N

MSDS Number: 0865

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 3N

MSDS Number: 0866

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 3N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0866
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 3N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 3N

MSDS Number: 0866

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thouoghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 3N

MSDS Number: 0866

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 3N

MSDS Number: 0866

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 3N

MSDS Number: 0866

Revision Date: 02/01/12

Page 5 of 6

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 3N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 3N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 3N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 3N

MSDS Number: 0866

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5N

MSDS Number: 0821

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 5N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0821
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 5N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5N

MSDS Number: 0821

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thouoghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5N

MSDS Number: 0821

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5N

MSDS Number: 0821

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5N

MSDS Number: 0821

Revision Date: 02/01/12

Page 5 of 8

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5N

MSDS Number: 0821

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6N

MSDS Number: 822

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 6N
Revision Date: 02/01/12
Version: 1
MSDS Number: 822
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 6N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6N

MSDS Number: 822

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcino

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcino	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thouoghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6N

MSDS Number: 822

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6N

MSDS Number: 822

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6N

MSDS Number: 822

Revision Date: 02/01/12

Page 5 of 6

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6N

MSDS Number: 822

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7N

MSDS Number: 0823

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 7N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0823
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 7N
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7N

MSDS Number: 0823

Revision Date: 02/01/12

Page 2 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Cetearth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadosis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4 FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7N

MSDS Number: 0823

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7N

MSDS Number: 0823

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7N

MSDS Number: 0823

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7N

MSDS Number: 0823

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8N

MSDS Number: 0824

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 8N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0824
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 8N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8N

MSDS Number: 0824

Revision Date: 02/01/12

Page 2 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4 FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8N

MSDS Number: 0824

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8N

MSDS Number: 0824

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8N

MSDS Number: 0824

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8N

MSDS Number: 0824

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9N

MSDS Number: 0825

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 9N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0825
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 9N
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9N

MSDS Number: 0825

Revision Date: 02/01/12

Page 2 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4 FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9N

MSDS Number: 0825

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9N

MSDS Number: 0825

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9N

MSDS Number: 0825

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 9N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 9N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 9N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9N

MSDS Number: 0825

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 10N

MSDS Number: 0868

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 10N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0868
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 10N
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Cetearth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Stearth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
Resorcinol	1 - 5 %

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 10N

MSDS Number: 0868

Revision Date: 02/01/12

Page 2 of 6

4 FIRST AID MEASURES

Inhalation: If respiratory irritation occurs, remove individual to fresh air.

Skin Contact: Thoroughly rinse with water for 15 minutes. If discomfort and/or the skin reactions occurs, see medical attention.

Eye Contact: Following accidental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irritation persists seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.

Ingestion: Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 10N

MSDS Number: 0868

Revision Date: 02/01/12

Page 3 of 6

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Protective Equipment:

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Always wear suitable gloves when using this product.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

10

STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (Incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 10N

MSDS Number: 0868

Revision Date: 02/01/12

Page 4 of 6

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 10N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 10N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 10N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 10N

MSDS Number: 0868

Revision Date: 02/01/12

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 10N

MSDS Number: 0868

Revision Date: 02/01/12

Page 6 of 6

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11N

MSDS Number: 0912

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 11N
Revision Date: 02/01/12
Version: 1
MSDS Number: 0912
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 11N
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Cetareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene, Resorcinol, p-Aminophenol

Hazardous Ingredients
Ethanolamine

Composition Range
5 - 10 %

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11N

MSDS Number: 0912

Revision Date: 02/01/12

Page 2 of 6

4 FIRST AID MEASURES

Inhalation: If respiratory irritation occurs, remove individual to fresh air.

Skin Contact: Thoroughly rinse with water for 15 minutes. If discomfort and/or the skin reactions occurs, see medical attention.

Eye Contact: Following accidental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irritation persists seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.

Ingestion: Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:
Not applicable

FLAMMABLE LIQUIDS:
Not available.

AUTO IGNITION TEMP:
None

FLAMMABLE CLASS:
None.

BURNING RATE OF SOLID:
Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11N

MSDS Number: 0912

Revision Date: 02/01/12

Page 3 of 6

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:**

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Always wear suitable gloves when using this product.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

10

STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do not mix in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11N

MSDS Number: 0912

Revision Date: 02/01/12

Page 4 of 6

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 11N
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 11N
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 11N
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11N

MSDS Number: 0912

Revision Date: 02/01/12

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolanine, Oleic Acid and Mica.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11N

MSDS Number: 0912

Revision Date: 02/01/12

Page 6 of 6

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 4A

MSDS Number: 0435

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 4A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0435
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 4A
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 4A

MSDS Number: 0435

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 -5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 4A

MSDS Number: 0435

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 4A

MSDS Number: 0435

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 4A

MSDS Number: 0435

Revision Date: 02/01/12

Page 5 of 6

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 4A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 4A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 4A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanalamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 4A

MSDS Number: 0435

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5A

MSDS Number: 0831

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 5A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0831
Synonyms: CHI Ionic Permanent Shine Hair Color - 5A
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Cetearth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadosensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Stearth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5A

MSDS Number: 0831

Revision Date: 02/01/12

Page 2 of 6

4 FIRST AID MEASURES

Inhalation: If respiratory irritation occurs, remove individual to fresh air.

Skin Contact: Thoroughly rinse with water for 15 minutes. If discomfort and/or the skin reactions occurs, see medical attention.

Eye Contact: Following accidental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irritation persists seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.

Ingestion: Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5A

MSDS Number: 0831

Revision Date: 02/01/12

Page 3 of 6

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Protective Equipment:

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Always wear suitable gloves when using this product.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

10

STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5A

MSDS Number: 0831

Revision Date: 02/01/12

Page 4 of 6

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5A

MSDS Number: 0831

Revision Date: 02/01/12

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanalamine, Oleic Acid and Mica.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5A

MSDS Number: 0831

Revision Date: 02/01/12

Page 6 of 6

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6A

MSDS Number: 0832

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 6A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0832
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - A
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6A

MSDS Number: 0832

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thouoghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6A

MSDS Number: 0832

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:**

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Always wear suitable gloves when using this product.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Bolling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6A

MSDS Number: 0832

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6A

MSDS Number: 0832

Revision Date: 02/01/12

Page 5 of 6

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanalamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6A

MSDS Number: 0832

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7A

MSDS Number: 0833

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 7A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0833
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 7A
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7A

MSDS Number: 0833

Revision Date: 02/01/12

Page 2 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Cetareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4 FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thouoghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7A

MSDS Number: 0833

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Crema.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7A

MSDS Number: 0833

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7A

MSDS Number: 0833

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7A

MSDS Number: 0833

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8A

MSDS Number: 0834

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 8A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0834
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 8A
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8A

MSDS Number: 0834

Revision Date: 02/01/12

Page 2 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4 FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8A

MSDS Number: 0834

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8A

MSDS Number: 0834

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (Incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8A

MSDS Number: 0834

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8A

MSDS Number: 0834

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9A

MSDS Number: 0835

Revision Date: 02/01/12

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 9A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0835
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 9A
Product Use: Toiletry, Cosmetic Applications

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.

Target Organs: None.

Inhalation: None.

Skin Contact: May skin cause irritation if used incorrectly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9A

MSDS Number: 0835

Revision Date: 02/01/12

Page 2 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4 FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9A

MSDS Number: 0835

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Crema.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9A

MSDS Number: 0835

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9A

MSDS Number: 0835

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 9A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 9A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 9A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanalamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the
DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 9A

MSDS Number: 0835

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11A

MSDS Number: 0871

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 11A
Revision Date: 02/01/12
Version: 1
MSDS Number: 0871
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 11A
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adupe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
Resorcinol	1 - 5 %

MSDS **Material Safety Data Sheet**

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11A

MSDS Number: 0871

Revision Date: 02/01/12

Page 2 of 6

4 FIRST AID MEASURES

Inhalation: If respiratory irritation occurs, remove individual to fresh air.

Skin Contact: Thoroughly rinse with water for 15 minutes. If discomfort and/or the skin reactions occurs, see medical attention.

Eye Contact: Following accidental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irritation persists seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.

Ingestion: Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11A

MSDS Number: 0871

Revision Date: 02/01/12

Page 3 of 6

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Protective Equipment:

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Always wear suitable gloves when using this product.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

10

STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11A

MSDS Number: 0871

Revision Date: 02/01/12

Page 4 of 6

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 11A
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 11A
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 11A
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

MSDS *Material Safety Data Sheet* Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11A

MSDS Number: 0871

Revision Date: 02/01/12

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 11A

MSDS Number: 0871

Revision Date: 02/01/12

Page 6 of 6

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5AA

MSDS Number: 0836

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 5AA
Revision Date: 02/01/12
Version: 1
MSDS Number: 0836
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 5AA
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5AA

MSDS Number: 0836

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adupe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5AA

MSDS Number: 0836

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Crema.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5AA

MSDS Number: 0836

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5AA

MSDS Number: 0836

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5AA
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5AA
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 5AA
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanalamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 5AA

MSDS Number: 0836

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6AA

MSDS Number: 0837

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbriht Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 6AA
Revision Date: 02/01/12
Version: 1
MSDS Number: 0837
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 6AA
Product Use: Tolletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

MSDS **Material Safety Data Sheet**

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6AA

MSDS Number: 0837

Revision Date: 02/01/12

Page 2 of 6

3

COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adupe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine sulfate	1 - 5 %
p-Aminophenol	< 1 %
4-Amino-2-Hydroxytoluene	< 1 %
Resorcinol	1 - 5 %

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thououghly rinse with water for 15 minutes. If diiscomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accedental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irration persist seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6AA

MSDS Number: 0837

Revision Date: 02/01/12

Page 3 of 6

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:** EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6AA

MSDS Number: 0837

Revision Date: 02/01/12

Page 4 of 6

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Strong Oxidizers and Extreme heat.
Materials to avoid (Incompatibility):	Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6AA

MSDS Number: 0837

Revision Date: 02/01/12

Page 5 of 6

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6AA
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6AA
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 6AA
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 6AA

MSDS Number: 0837

Revision Date: 02/01/12

Page 6 of 6

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7AA

MSDS Number: 0872

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 7AA
Revision Date: 02/01/12
Version: 1
MSDS Number: 0872
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 7AA
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk(Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
Resorcinol	1 - 5 %

MSDS **Material Safety Data Sheet**

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7AA

MSDS Number: 0872

Revision Date: 02/01/12

Page 2 of 6

4 FIRST AID MEASURES

Inhalation: If respiratory irritation occurs, remove individual to fresh air.

Skin Contact: Thoroughly rinse with water for 15 minutes. If discomfort and/or the skin reactions occurs, see medical attention.

Eye Contact: Following accidental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irritation persists seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.

Ingestion: Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8.

Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7AA

MSDS Number: 0872

Revision Date: 02/01/12

Page 3 of 6

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Protective Equipment:

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Always wear suitable gloves when using this product.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off White to Light Brown

Physical State: Creme.

Odor: Fruity

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Pt.: N/A

Solubility: Dispersible.

Spec Grav./Density: 0.98 - 1.04

10

STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7AA

MSDS Number: 0872

Revision Date: 02/01/12

Page 4 of 6

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7AA
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7AA
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 7AA
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7AA

MSDS Number: 0872

Revision Date: 02/01/12

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolanine, Oleic Acid and Mica.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 7AA

MSDS Number: 0872

Revision Date: 02/01/12

Page 6 of 6

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8AA

MSDS Number: 0873

Revision Date: 02/01/12

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Department
Telephone Number: 1-800-237-9175
FAX Number: 281-855-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI Ionic Permanent Shine Hair Color - 8AA
Revision Date: 02/01/12
Version: 1
MSDS Number: 0873
Chemical Formula: No PPD
Synonyms: CHI Ionic Permanent Shine Hair Color - 8AA
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes.
Skin.
Target Organs: None.
Inhalation: None.
Skin Contact: May skin cause irritation if used incorrectly.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: None.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The complete ingredient list for the finished product is as follows:

Aqua/Water/Eau, Ethanolamine, Cetearyl Alcohol, Glycol Distearate, Ceteareth-20, Behentrimonium Chloride, Oleic Acid, Propylene Glycol, Glycerin, Dimethicone, Aloe Barbadensis Leaf Extract, Nonfat Dry Milk (Sine Adipe Lac), Hydrolyzed Silk, Olea Europaea (Olive) Fruit Oil, Sodium Erythorbate, Bertholletia Excelsa Seed Oil, Sodium Sulfite, Amodimethicone, Cetrimonium Chloride, Trideceth-8, Dimethiconol, Mica, Titanium Dioxide, Silica, Alumina, Acrylates/Steareth-20 Itaconate Copolymer, PEG-150 Distearate, Fragrance (Parfum) Coumarin, Butylphenyl Methylpropional, Limonene Toulene-2,5-Diamine Sulfate, p-Aminophenol, 4-Amino-2-Hydroxytoluene, Resorcinol

Hazardous Ingredients	Composition Range
Ethanolamine	5 - 10 %
Toulene-2,5-Diamine Sulfate	1 - 5 %
p-Aminophenol	< 1 %
Resorcinol	1 - 5 %

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8AA

MSDS Number: 0873

Revision Date: 02/01/12

Page 2 of 6

4

FIRST AID MEASURES

Inhalation:	If respiratory irritation occurs, remove individual to fresh air.
Skin Contact:	Thoroughly rinse with water for 15 minutes. If discomfort and/or the skin reactions occurs, see medical attention.
Eye Contact:	Following accidental eye exposure, remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. If discomfort or irritation persists seek medical attention. If the eyes or face becomes swollen during or following use, consult a physician or emergency room immediately.
Ingestion:	Accidental ingestion of product may necessitate medical attention. In case of accidental ingestion wash mouth out with plenty of water. Do not induce vomiting. Wash mouth out and drink plenty of water. Seek medical attention if necessary.

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions:	Use appropriate personal protective equipment as specified in Section 8. Avoid contact with eyes, Skin, and clothing. Do not expose to heat. Keep out of reach of children.
Storage Requirements:	Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F. Keep out of reach of children.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8AA

MSDS Number: 0873

Revision Date: 02/01/12

Page 3 of 6

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Protective Equipment:**

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: Always wear suitable gloves when using this product.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White to Light Brown	Boiling Point:	N/A
Physical State:	Creme.	Freezing/Melting Pt.:	N/A
Odor:	Fruity	Solubility:	Dispersible.
pH:	N/A	Spec Grav./Density:	0.98 - 1.04
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Strong Oxidizers and Extreme heat.

Materials to avoid (incompatibility): Keep away from strong acids, reducing chemicals and heavy metals. Do you mixing in metal bowls.

Hazardous Decomposition products:

Hazardous Polymerization: Will Not Occur.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8AA

MSDS Number: 0873

Revision Date: 02/01/12

Page 4 of 6

11 TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use. Additional information on toxicological endpoints is available from the supplier upon request.

This product contains ingredients which may cause skin irritation on certain individuals and a preliminary test according to accompanying directions should first be made. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness.

CHRONIC Effects: finished product is not expected to have chronic health effects.
TARGET ORGANS: No adverse health effects on target organs expected for the finished product.
CARCINOGENICITY: Finished product is not expected to be carcinogenic.

IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

12 ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spills.

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:
DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.
COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.
DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8AA
Class: None
Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8AA
Class: None
Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI Ionic Permanent Hair Color - 8AA
Class: None
Non-regulated, non-hazardous.

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8AA

MSDS Number: 0873

Revision Date: 02/01/12

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol, ethanolamine, Oleic Acid and Mica.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI Ionic Permanent Shine Hair Color - 8AA

MSDS Number: 0873

Revision Date: 02/01/12

Page 6 of 6

END OF MSDS DOCUMENT