

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO American Smoothing Treatment - All Types

Page 1 of 5

MSDS Number: 0806

Revision Date: 3/23/2011

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI ENVIRO American Smoothing Treatment - All Types
Revision Date: 3/23/2011
MSDS Number: 0806
Synonyms: CHI ENVIRO American Smoothing Treatment
Product Use: Toiletry, Cosmetic Applications

2

COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS #	Percent
Glyoxyloyl Carbocysteine	N/A	3 - 7
Glyoxyloyl Keratin Aminos Acids	N/A	3 - 7
Non Hazardous Components		> 90

3

HAZARDS IDENTIFICATION

Route of Entry: Inhalation Skin Eyes Ingestion
Target Organs: None.
Inhalation: May cause irritation in the mucous membrane.
Skin Contact: May cause irritation to the skin.
Eye Contact: May cause redness, itching, irritation, and slight discomfort.
Ingestion: If swallowed, may cause irritation in the mucous membrane.

4

FIRST AID MEASURES

Inhalation: Remove patient to well ventilated area. If breathing difficulties occur, seek medical attention.
Skin Contact: Wash with soap and plenty of water. If irritation occurs, seek medical attention.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: If accidentally ingested, DO NOT INDUCE VOMIT. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO American Smoothing Treatment - All Types

Page 2 of 5

MSDS Number: 0806

Revision Date: 3/23/2011

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Use Rubber Gloves.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO American Smoothing Treatment - All Types

Page 3 of 5

MSDS Number: 0806

Revision Date: 3/23/2011

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White Cream	Boiling Point:	Not determined
Physical State:	Cream	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Dispersible in water.
pH:	1.5 - 2.0	Spec Grav./Density:	0.96 - 1.02
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO American Smoothing Treatment - All Types

Page 4 of 5

MSDS Number: 0806

Revision Date: 3/23/2011

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: UN3265, Corrosive Liquid, Acid, Organic, N.O.S
Class: 8 Packaging Group III

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000, Class : 9 Packaging Group
III

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are not listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: None
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are not listed on the
DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are not listed on the European's EINECS
Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO American Smoothing Treatment - All Types

Page 5 of 5

MSDS Number: 0806

Revision Date: 3/23/2011

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 1

PERSONAL PROTECTION: Rubber Gloves

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Purity Shampoo

Page 1 of 5

MSDS Number: 0805

Revision Date:

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

2 COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and/ or WHMIS under the HPA.

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion

Target Organs: None.

Inhalation: None.

Skin Contact: Yes

Eye Contact: May cause itching and burning if not used properly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: None.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Purity Shampoo

Page 2 of 5

MSDS Number: 0805

Revision Date:

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Purity Shampoo

Page 3 of 5

MSDS Number: 0805

Revision Date:

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Translucent Viscous Liquid	Boiling Point:	N/A
Physical State:	Liquid	Freezing/Melting Pt.:	N/A
Odor:	Pleasant Fragrance	Solubility:	Soluble in water.
pH:	8 -10	Spec Grav./Density:	0.98 - 1.02
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability: YES

Conditions to avoid: Extreme temperatures.

Materials to avoid (incompatibility): Keep away from strong oxidizing material.

Hazardous Decomposition products: None known.

Hazardous Polymerization: Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Purity Shampoo

Page 4 of 5

MSDS Number: 0805

Revision Date:

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI ENVIRO Purity Shampoo

Class: None.

Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: CHI ENVIRO Purity Shampoo

Class: None.

Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: CHI ENVIRO Purity Shampoo

Class: None.

Non-regulated, non-hazardous

1-800-424-9300

Inside the United States

CHEMTREC

1-703-527-3887

Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: None

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Purity Shampoo

Page 5 of 5

MSDS Number: 0805

Revision Date:

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

- 0 = Normal
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Smoothing Shampoo

Page 1 of 5

MSDS Number: 0798

Revision Date: 2/2/2011

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

2

COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and/ or WHMIS under the HPA.

3

HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Target Organs: None.
Inhalation: None.
Skin Contact: Yes
Eye Contact: May cause itching and burning if not used properly.
Ingestion: May cause irritation to the digestive tract.

4

FIRST AID MEASURES

Inhalation: None.
Skin Contact: None.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Shampoo

Page 2 of 5

MSDS Number: 0798

Revision Date: 2/2/2011

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Shampoo

Page 3 of 5

MSDS Number: 0798

Revision Date: 2/2/2011

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White creamy liquid	Boiling Point:	N/A
Physical State:	Liquid	Freezing/Melting Pt.:	N/A
Odor:	Pleasant Fragrance	Solubility:	Soluble in water.
pH:	5-7	Spec Grav./Density:	0.98 - 1.02
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Shampoo

Page 4 of 5

MSDS Number: 0798

Revision Date: 2/2/2011

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Shampoo
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Shampoo
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Shampoo
Class: None.
Non-regulated, non-hazardous

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: None
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Smoothing Shampoo

Page 5 of 5

MSDS Number: 0798

Revision Date: 2/2/2011

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Smoothing Conditioner

Page 1 of 5

MSDS Number: 0799

Revision Date: 2/2/2011

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI ENVIRO Smoothing Conditioner
Revision Date: 2/2/2011
MSDS Number: 0799
Synonyms: CHI ENVIRO Smoothing Conditioner
Product Use: Toiletry, Cosmetic Applications

2

COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and/ or WHMIS under the HPA.

3

HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Target Organs: None.
Inhalation: None.
Skin Contact: None.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: May cause irritation to the digestive tract.

4

FIRST AID MEASURES

Inhalation: None.
Skin Contact: None.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Conditioner

Page 2 of 5

MSDS Number: 0799

Revision Date: 2/2/2011

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Conditioner

Page 3 of 5

MSDS Number: 0799

Revision Date: 2/2/2011

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pink Cream	Boiling Point:	Not determined
Physical State:	Cream	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Soluble in water.
pH:	3.0 - 4.5	Spec Grav./Density:	0.96 - 1.02
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Conditioner

Page 4 of 5

MSDS Number: 0799

Revision Date: 2/2/2011

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Conditioner
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Conditioner
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Conditioner
Class: None.
Non-regulated, non-hazardous

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: None
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the
DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Smoothing Conditioner

Page 5 of 5

MSDS Number: 0799

Revision Date: 2/2/2011

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Masque

Page 1 of 5

MSDS Number: 0800

Revision Date: 2/2/2011

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI ENVIRO Smoothing Masque
Revision Date: 2/2/2011
MSDS Number: 0800
Synonyms: CHI ENVIRO Smoothing Masque
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and/ or WHMIS under the HPA.

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Target Organs: None.
Inhalation: None.
Skin Contact: None.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: None.
Skin Contact: None.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Masque

Page 2 of 5

MSDS Number: 0800

Revision Date: 2/2/2011

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Masque

Page 3 of 5

MSDS Number: 0800

Revision Date: 2/2/2011

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Creamy aqua color	Boiling Point:	Not determinated
Physical State:	Cream	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Soluble in water.
pH:	3.0 - 4.5	Spec Grav./Density:	0.96 - 1.02
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Masque

Page 4 of 5

MSDS Number: 0800

Revision Date: 2/2/2011

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Masque
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Masque
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Masque
Class: None.
Non-regulated, non-hazardous

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: None
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Smoothing Masque

Page 5 of 5

MSDS Number: 0800

Revision Date: 2/2/2011

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO SMOOTHING SHINE SPRAY

Page 1 of 5

MSDS Number: 0807

Revision Date: 04/20/2011

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department

Telephone Number: 1-800-237-9175

FAX Number: 281-885-6396

E-Mail: regulatory@farouk.com

Web www.farouk.com

Product Name: CHI ENVIRO SMOOTHING SHINE SPRAY
Revision Date: 04/20/2011
MSDS Number: 0807
Synonyms: SMOOTHING SHINE SPRAY
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS #	Percent %
Propane	74-98-6	1 - 10 %
Isobutane	75-28-5	10 - 30%
Ethanol	64-17-5	1 - 10 %

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: None.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO SMOOTHING SHINE SPRAY

Page 2 of 5

MSDS Number: 0807

Revision Date: 04/20/2011

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

-30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

N/A

FLAMMABLE CLASS:

NFPA rating of 4.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain carbon monoxide.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Avoid heat, sparks, flame, or smoking during use. Do not crush, puncture or incinerate. Avoid extreme heat and ignition sources. Avoid spraying toward open flame. Keep out of reach of children.

Storage Requirements: Pressurized container. Protect from sunlight and do not expose to temperatures above 120 F (50C). Store away from oxidizers. Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO SMOOTHING SHINE SPRAY

Page 3 of 5

MSDS Number: 0807

Revision Date: 04/20/2011

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Slight Green/Yellow liquid	Boiling Point:	Not available
Physical State:	Aerosol	Freezing/Melting Pt.:	Not available
Odor:	Pleasant fragrance	Solubility:	Soluble in water
pH:	N/A	Spec Grav./Density:	0.930 - 0.940
Vapor Pressure:	mm Hg @ 20°C: Can pressure not to exceeded 180 psig @ 130°F		
Vapor Density:	(Air=1): >1		
Evap. Rate:	>1		
Viscosity:	Aerosol @ ambient		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Do not store containers in direct sunlight or where conditions will heat them above 120°F. Heat, sparks, flame and contact with strong oxidizing liquids. This product is an aerosol and should not be incinerated.
Materials to avoid (incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	Carbon Monoxide.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO SMOOTHING SHINE SPRAY

Page 4 of 5

MSDS Number: 0807

Revision Date: 04/20/2011

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: AEROSOLS, UN1950. Limited Quantity
Class: 2.1

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000
Class: 9, Miscellaneous
Pkg Inst - 910

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute Fire Hazard Ethane,1,1-Difluoro-,Ethanol)

313 REPORTABLE INGREDIENTS: None Noted.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

California Proposition 65: Not regulated.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Ethanol.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO SMOOTHING SHINE SPRAY

Page 5 of 5

MSDS Number: 0807

Revision Date: 04/20/2011

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 4

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 4

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Serum

Page 1 of 5

MSDS Number: 0801

Revision Date:

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web: www.farouk.com

Product Name: CHI ENVIRO Smoothing Serum
MSDS Number: 0801
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

The product does not contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and or WHMIS under the HPA.

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Target Organs: None.
Inhalation: None.
Skin Contact: None.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: None.
Skin Contact: None.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Serum

Page 2 of 5

MSDS Number: 0801

Revision Date:

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog, Sand

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Serum

Page 3 of 5

MSDS Number: 0801

Revision Date:

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Slightly hazy liquid	Bolling Point:	N/A
Physical State:	Viscous liquid gel	Freezing/Melting Pt.:	N/A
Odor:	Pleasant perfume fragrance	Solubility:	Insoluble
pH:	N/A	Spec Grav./Density:	0.90 - 1.0
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	None.
Materials to avoid (incompatibility):	None.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Smoothing Serum

Page 4 of 5

MSDS Number: 0801

Revision Date:

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Serum

Class: None.

Non-regulated, non-hazardous.

IMDG CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Serum

Class: None.

Non-regulated, non-hazardous.

IATA CLASSIFICATION: Shipping Name: CHI ENVIRO Smoothing Serum

Class: None.

Non-regulated, non-hazardous.

1-800-424-9300

Inside the United States

CHEMTREC

1-703-527-3887

Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: None.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Smoothing Serum

Page 5 of 5

MSDS Number: 0801

Revision Date:

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 4/18/2012

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: CHI ENVIRO Stay Smooth Blow Out Spray
Revision Date: 4/18/2012
MSDS Number: 0819
Synonyms: CHI ENVIRO Stay Smooth Blow Out Spray
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation Skin Eyes Ingestion
Target Organs: None.
Inhalation: May cause irritation in the mucous membrane.
Skin Contact: May cause irritation to the skin.
Eye Contact: May cause redness, itching, irritation, and slight discomfort.
Ingestion: If swallowed, may cause irritation in the mucous membrane.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS #	Percent
Glyoxyloyl Carbocysteine	1268868-51-4	1 - 5
Glyoxyloyl Keratin Amino Acids	1269630-89-8	1 - 5
Non Hazardous Components		> 95

4 FIRST AID MEASURES

Inhalation: Remove patient to well ventilated area. If breathing difficulties occur, seek medical attention.
Skin Contact: Wash with soap and plenty of water. If irritation occurs, seek medical attention.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: If accidentally ingested, DO NOT INDUCE VOMIT. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 4/18/2012

Page 2 of 6

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: Use Rubber Gloves.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely, since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 4/18/2012

Page 3 of 6

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off White Cream	Boiling Point:	Not determinated
Physical State:	Cream	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Dispersible in water.
pH:	1.5 - 2.0	Spec Grav./Density:	0.96 - 1.02
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 4/18/2012

Page 4 of 6

13

DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14

TRANSPORT INFORMATION

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: UN3265, Corrosive Liquid, Acid, Organic, N.O.S
Class: 8 Packaging Group III

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000, Class : 9 Packaging Group
III

1-800-424-9300
Inside the United States
CHEMTEC

1-703-527-3887
Outside the United States

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 4/18/2012

Page 5 of 6

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are not listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: None

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are not listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are not listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16 OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 1

PERSONAL PROTECTION: Rubber Gloves

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

CHI ENVIRO Stay Smooth Blow Out Spray

MSDS Number: 0819

Revision Date: 4/18/2012

Page 6 of 6

END OF MSDS DOCUMENT