

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Glazing Gel

Page 1 of 5

MSDS Number: 0012

Revision Date: 12/17/2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Glazing Gel
Revision Date: 12/17/2007
MSDS Number: 0012
Synonyms: BioSilk Glazing Gel
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

VP/VA Copolymer 1% - 7%
Polyquaternium-11 0.1% - 5%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Skin
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation can cause dizziness.

Skin Contact: May cause skin irritation if not used accordingly.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove to fresh air.

Skin Contact: Wash with soap and water.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Glazing Gel

Page 2 of 5

MSDS Number: 0012

Revision Date: 12/17/2007

5

FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7

HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Glazing Gel

Page 3 of 5

MSDS Number: 0012

Revision Date: 12/17/2007

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, soft gel substance	Boiling Point:	161° F
Physical State:	Viscous gel	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Soluble in water.
pH:	5.0 - 6.0	Spec Grav./Density:	1.00
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Glazing Gel

Page 4 of 5

MSDS Number: 0012

Revision Date: 12/17/2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: BioSilk Glazing Gel
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: BioSilk Glazing Gel
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: BioSilk Glazing Gel
Class: None.
Non-regulated, non-hazardous

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: None.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Glazing Gel

Page 5 of 5

MSDS Number: 0012

Revision Date: 12/17/2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Molding Silk

Page 1 of 5

MSDS Number: 0030

Revision Date: 12/13/2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Molding Silk
Revision Date: 12/13/2007
MSDS Number: 0030
Synonyms: Molding Silk
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Oleth-3	7% - 13%
DEA-Oleth-10-Phosphate	6% - 12%
Phenoxyethanol	0.1% - 4%

3 HAZARDS IDENTIFICATION

Route of Entry: Ingestion
Eyes
Inhalation

Target Organs: None.

Inhalation: If used improperly, this product may cause dizziness, headache and difficulty in breathing.

Skin Contact: May cause slight irritation to the skin.

Eye Contact: May cause burning and irritation to the eyes.

Ingestion: May cause irritation to the digestive tract and cause cramps/diarrhea.

4 FIRST AID MEASURES

Inhalation: None.

Skin Contact: Wash with soap and water. Avoid contact with skin rashes or open sores.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Molding Silk

Page 2 of 5

MSDS Number: 0030

Revision Date: 12/13/2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide and unidentified organic compounds may be formed during combustion.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 120°F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Molding Silk

Page 3 of 5

MSDS Number: 0030

Revision Date: 12/13/2007

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light, tan paste	Boiling Point:	>212°F
Physical State:	Paste	Freezing/Melting Pt.:	>77°F
Odor:	Pleasant, perfume fragrance	Solubility:	Soluble in water.
pH:	4.85	Spec Grav./Density:	0.963
Vapor Pressure:	N/A		
Vapor Density:	N/A		

Percent Volatile: 60%

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Strong oxidizing agents.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Molding Silk

Page 4 of 5

MSDS Number: 0030

Revision Date: 12/13/2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: BioSilk Molding silk
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: BioSilk Molding silk
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: BioSilk Molding silk
Class: None.
Non-regulated, non-hazardous

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Molding Silk

Page 5 of 5

MSDS Number: 0030

Revision Date: 12/13/2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Mousse

Page 1 of 5

MSDS Number: 0050

Revision Date: 02/16/2009

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-6396
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Silk Mousse
Revision Date: 02/16/2009
MSDS Number: 0050
Synonyms: Silk Mousse
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Isobutane	CAS# 75-28-5	≥1.3%
Propane	CAS# 74-98-6	≥2.9%
Butane	CAS# 106-97-8	≥1.8%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: May cause irritation or redness to the skin if not used accordingly.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: Wash off with warm water and soap.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Mousse

Page 2 of 5

MSDS Number: 0050

Revision Date: 02/16/2009

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

-30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

Not available

FLAMMABLE CLASS:

NFPA rating of 4

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain carbon monoxide.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Mousse

Page 3 of 5

MSDS Number: 0050

Revision Date: 02/16/2009

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Foamy Liquid	Boiling Point:	173°F
Physical State:	Aerosol	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Soluble in water
pH:	5.0	Spec Grav./Density:	0.921-0.951 @ 20°C
Vapor Pressure:	mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 130°F		
Vapor Density:	(Air=1) >1		
Evap. Rate:	>1		
Viscosity:	Aerosol @ ambient		
Percent Volatile:	6%		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Do not store containers in direct sunlight or where conditions will heat them above 120°F. This product is an aerosol and should not be incinerated. Open flame.
Materials to avoid (incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Mild-moderate irritant.
ORAL LD50: >5 g/kg oral rat (non-toxic) Not tested on animals.
INHALATION LC50: Could be harmful or fatal if misused improperly.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
Mild irritant.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Mousse

Page 4 of 5

MSDS Number: 0050

Revision Date: 02/16/2009

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: AEROSOLS, UN1950, Limited Quantities.
Class: 2.1

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID8000
Class: 9, Miscellaneous
Pkg Inst - 910

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312: Acute, Fire, Sudden Release (Propane, Butane, Isobutane); Acute and Fire Hazard (Propane, Butane, Isobutane)

313 REPORTABLE INGREDIENTS: None noted.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

California Proposition 65: Not regulated.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Butane.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Mousse

Page 5 of 5

MSDS Number: 0050

Revision Date: 02/16/2009

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 4

HEALTH: 1

REACTIVITY: 1

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 4

HEALTH: 1

PHYSICAL HAZARD: 1

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 1 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Silk Therapy
Revision Date: 12/13/2007
MSDS Number: 0001
Synonyms: BioSilk Silk Therapy
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

SD Alcohol 40B 5% - 11%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: None.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 2 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

>160° F

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

>200°C (393°F)

FLAMMABLE CLASS:

NFPA rating of 2.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain benzene and formaldehyde.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Rock Hard Gelee

Page 1 of 5

MSDS Number: 0018

Revision Date: 12/19/2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Rock Hard Gelee
Revision Date: 12/19/2007
MSDS Number: 0018
Synonyms: BioSilk Rock Hard Gelee
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

PVP	2% - 8%
Acrylates/Steareth-20 Itaconate Copolymer	1% - 7%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion

Target Organs: None.

Inhalation: None.

Skin Contact: None.

Eye Contact: May cause itching and burning if not used properly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: None.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Rock Hard Gelee

Page 2 of 5

MSDS Number: 0018

Revision Date: 12/19/2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable.

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

None.

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 120° F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Rock Hard Gelee

Page 3 of 5

MSDS Number: 0018

Revision Date: 12/19/2007

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Almost clear, colorless liquid gel	Boiling Point:	212° F
Physical State:	Gelatinous	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Soluble in water.
pH:	7.0-7.5	Spec Grav./Density:	1.05
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	None.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Rock Hard Gelee

Page 4 of 5

MSDS Number: 0018

Revision Date: 12/19/2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: BioSilk Rock Hard Gelee
Class: None.
Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: BioSilk Rock Hard Gelee
Class: None.
Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: BioSilk Rock Hard Gelee
Class: None.
Non-regulated, non-hazardous

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15 REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: Propylene Glycol.
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Rock Hard Gelee

Page 5 of 5

MSDS Number: 0018

Revision Date: 12/19/2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 1 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Silk Therapy
Revision Date: 12/13/2007
MSDS Number: 0001
Synonyms: BioSilk Silk Therapy
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

SD Alcohol 40B 5% - 11%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: None.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 2 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

>160° F

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

>200°C (393°F)

FLAMMABLE CLASS:

NFPA rating of 2.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain benzene and formaldehyde.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 3 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, colorless viscous material	Boiling Point:	155° F
Physical State:	Liquid	Freezing/Melting Pt.:	>212° F
Odor:	Pleasant perfume fragrance	Solubility:	Non-soluble in water.
pH:	N/A	Spec Grav./Density:	0.92
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 4 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: BioSilk silk Therapy

Class: none

Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: BioSilk silk Therapy

Class: none

Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: BioSilk silk Therapy

Class: none

Non-regulated, non-hazardous

1-800-424-9300

Inside the United States

CHEMTREC

1-703-527-3887

Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: This product contains Ethanol, which is listed on the "Ingredient Disclosure List".

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy

Page 5 of 5

MSDS Number: 0001

Revision Date: 12/13/2007

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 2

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 2

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy Shine On

Page 1 of 5

MSDS Number: 0022

Revision Date: 02/16/2009

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-6396
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Silk Therapy Shine On
Revision Date: 02/16/2009
MSDS Number: 0022
Synonyms: Silk Therapy Shine On
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Propane	CAS# 74-98-6	≥6.0%
Butane	CAS# 106-97-8	≥29.0%
Ethanol Approx.	CAS# 64-17-5	≥15.0%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: None.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy Shine On

Page 2 of 5

MSDS Number: 0022

Revision Date: 02/16/2009

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

-30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

N/A

FLAMMABLE CLASS:

NFPA rating of 4.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain carbon monoxide.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: EXPOSURE GUIDELINES: Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy Shine On

Page 3 of 5

MSDS Number: 0022

Revision Date: 02/16/2009

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Straw yellow liquid	Boiling Point:	Not available
Physical State:	Aerosol	Freezing/Melting Pt.:	Not available
Odor:	Pleasant fragrance	Solubility:	Soluble in water
pH:	N/A	Spec Grav./Density:	0.930 - 0.940
Vapor Pressure:	mm Hg @ 20°C; Can pressure not to exceeded 180 psig @ 130°F		
Vapor Density:	(Air=1): >1		
Evap. Rate:	>1		
Viscosity:	Aerosol @ ambient		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Do not store containers in direct sunlight or where conditions will heat them above 120°F. Heat, sparks, flame and contact with strong oxidizing liquids. This product is an aerosol and should not be incinerated.
Materials to avoid (Incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	Carbon Monoxide.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy Shine On

Page 4 of 5

MSDS Number: 0022

Revision Date: 02/16/2009

13

DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14

TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: AEROSOLS, UN1950. Limited Quantity
Class: 2.1

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000
Class: 9, Miscellaneous
Pkg Inst - 910

1-800-424-9300 1-703-527-3887
Inside the United States Outside the United States
CHEMTREC

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-); Acute Fire Hazard Ethane,1,1-Difluoro-,Ethanol)

313 REPORTABLE INGREDIENTS: None Noted.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.
California Proposition 65: Not regulated.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: Ethanol.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Silk Therapy Shine On

Page 5 of 5

MSDS Number: 0022

Revision Date: 02/16/2009

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 4

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 4

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray FIRM Hold

Page 1 of 5

MSDS Number: 0006

Revision Date: 02/16/2009

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-6396
E-Mail: ehsdept@farouk.com
Web www.farouk.com

Product Name: BioSilk Finishing Spray FIRM Hold
Revision Date: 02/16/2009
MSDS Number: 0006
Synonyms: BioSilk Finishing Spray FIRM Hold
Product Use: Toiletry, Cosmetic Applications

2

COMPOSITION/INFORMATION ON INGREDIENTS

Ethane, 1,1-Difluoro $\leq 45.0\%$
Ethanol $\leq 55.0\%$

3

HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Vapors may cause irritation to the mucous membranes. Prolonged exposure may cause intoxication and liver damage.

Skin Contact: Repeated skin contact may cause slight irritation.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly. Never spray product at eyes or face.

Ingestion: This product is toxic by its alcohol content. May cause stomach and intestinal discomfort. May cause intoxication.

4

FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: Avoid contact with skin rashes or open sores.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Do not induce vomiting. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray FIRM Hold

Page 2 of 5

MSDS Number: 0006

Revision Date: 02/16/2009

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

-30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTO IGNITION TEMP:

Not available

FLAMMABLE CLASS:

NFPA rating of 4

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke. Do not use while smoking. Do not crush or puncture containers. Keep away from children. Do not use near open flames or heated surfaces.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment: **EYES AND FACE:** For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray FIRM Hold

Page 3 of 5

MSDS Number: 0006

Revision Date: 02/16/2009

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, colorless to pale yellow liquid	Boiling Point:	Not available
Physical State:	Aerosol	Freezing/Melting Pt.:	Not available
Odor:	Pleasant fragrance	Solubility:	Soluble in water
pH:	8.6 - 9.2	Spec Grav./Density:	0.810 - 0.840
Vapor Pressure:	mm Hg @ 20°C: Can pressure not to exceed 180 psig @ 130°F		
Vapor Density:	(Air=1): >1		
Evap. Rate:	>1		
Viscosity:	Aerosol @ ambient		
Percent Volatile:	Less than 55%		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Do not store containers in direct sunlight or where conditions will heat them above 120°F. Heat, sparks, flame and contact with strong oxidizing liquids. This product is an aerosol and should not be incinerated.
Materials to avoid (incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	Carbon Monoxide and unidentified organic compounds may be formed during combustion.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray FIRM Hold

Page 4 of 5

MSDS Number: 0006

Revision Date: 02/16/2009

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: AEROSOLS, UN1950, Limited Quantities
Class: 2.1

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000
Class: 9, Miscellaneous
Pkg Inst - 910

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-);Acute and Fire Hazard Ethane,1,1-Difluoro-,Ethanol)

313 REPORTABLE INGREDIENTS: None noted.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

California Proposition 65: Not regulated

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: This product contains Ethanol, which is listed on the "Ingredient Disclosure List".

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray FIRM Hold

Page 5 of 5

MSDS Number: 0006

Revision Date: 02/16/2009

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 4

HEALTH: 1

REACTIVITY: 1

SPECIAL: None

HMS RATING:

FLAMMABILITY: 4

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray NATURAL Hold

Page 1 of 5

MSDS Number: 0153

Revision Date: 02/16/2009

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: EHS Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-6396
E-Mail: ehsdept@farouk.com
Web: www.farouk.com

Product Name: BioSilk Finishing Spray NATURAL Hold
Revision Date: 02/16/2009
MSDS Number: 0153
Synonyms: BioSilk Finishing Spray NATURAL Hold
Product Use: Toiletry, Cosmetic Applications

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ethane, 1,1-Difluoro ≤45.0%
Ethanol ≤55.0%

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Vapors may cause irritation to the mucous membranes. Prolonged exposure may cause intoxication and liver damage.

Skin Contact: Repeated skin contact may cause slight irritation.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly. Never spray product at eyes or face.

Ingestion: This product is toxic by its alcohol content. May cause stomach and intestinal discomfort. May cause intoxication.

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention.

Skin Contact: Avoid contact with skin rashes or open sores.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Do not induce vomiting. Seek medical attention.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray NATURAL Hold

Page 2 of 5

MSDS Number: 0153

Revision Date: 02/16/2009

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

-30°F TCC (Propellant Only); Concentrate 36°F (EPA Method 1010)

AUTO IGNITION TEMP:

Not available

FLAMMABLE CLASS:

NFPA rating of 4.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke. Do not use while smoking. Do not crush or puncture containers. Keep away from children. Do not use near open flames or heated surfaces.

EXTINGUISHING METHODS: Chemical type foam, CO₂(Carbon Dioxide), Dry Chemical, Water Fog.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray NATURAL Hold

Page 3 of 5

MSDS Number: 0153

Revision Date: 02/16/2009

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, colorless to pale yellow liquid	Boiling Point:	Unknown
Physical State:	Aerosol	Freezing/Melting Pt.:	Not available
Odor:	Pleasant fragrance	Solubility:	Soluble in water.
pH:	8.6 - 9.2	Spec Grav./Density:	0.810 - 0.840
Vapor Pressure:	mm Hg @ 20°C: Can pressure not to exceeded 180 psig @ 130°F		
Vapor Density:	(Air=1) >1		
Evap. Rate:	>1		
Viscosity:	Aerosol @ ambient		
Percent Volatile:	Less than 55%		

10

STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Do not store containers in direct sunlight or where conditions will heat them above 120°F. Heat, sparks, flame and contact with strong oxidizing liquids. This product is an aerosol and should not be incinerated.
Materials to avoid (incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	Carbon Monoxide and unidentified organic compounds may be formed during combustion.
Hazardous Polymerization:	Will Not Occur.

11

TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12

ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray NATURAL Hold

Page 4 of 5

MSDS Number: 0153

Revision Date: 02/16/2009

13 DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14 TRANSPORT INFORMATION

This product is regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: Consumer Commodity
Class: ORM-D

IMDG CLASSIFICATION: Shipping Name: AEROSOLS, UN1950, Limited Quantities.
Class: 2.1

IATA CLASSIFICATION: Shipping Name: Consumer Commodity, ID 8000
Class: 9, Miscellaneous
Pkg Inst - 910

1-800-424-9300
Inside the United States
CHEMTREC

1-703-527-3887
Outside the United States

15 REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312: Acute, Fire, Sudden Release (Ethane,1,1-Difluoro-);Acute and Fire Hazard Ethane,1,1-Difluoro-, Ethanol)

313 REPORTABLE INGREDIENTS: None Noted.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

California Proposition 65: Not regulated

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: This product contains Ethanol, which is listed on the "Ingredient Disclosure List".

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

MSDS Material Safety Data Sheet

Farouk Systems Group

BioSilk Finishing Spray NATURAL Hold

Page 5 of 5

MSDS Number: 0153

Revision Date: 02/16/2009

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 4

HEALTH: 1

REACTIVITY: 1

SPECIAL: None

HMS RATING:

FLAMMABILITY: 4

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

Biosilk Volumizing Therapy Texturizing Powder

MSDS Number: 1014

Revision Date: 01/23/2013

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: Biosilk Volumizing Therapy Texturizing Powder
Revision Date: 01/23/2013
MSDS Number: 1014
Synonyms: Volumizing Therapy Texturizing Powder
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Ingestion
Target Organs: None.
Inhalation: None.
Skin Contact: None.
Eye Contact: May cause itching and burning if not used properly.
Ingestion: May cause irritation to the digestive tract.

3 COMPOSITION/INFORMATION ON INGREDIENTS

There are no hazardous components.

4 FIRST AID MEASURES

Inhalation: None.
Skin Contact: None.
Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.
Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS Material Safety Data Sheet

Farouk Systems Group

Biosilk Volumizing Therapy Texturizing Powder

MSDS Number: 1014

Revision Date: 01/23/2013

Page 2 of 6

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

Not applicable

FLAMMABLE LIQUIDS:

None.

AUTO IGNITION TEMP:

None

FLAMMABLE CLASS:

None.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: None.

FIRE FIGHTING PROCEDURES: This product is not flammable. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from flammable materials.

7 HANDLING AND STORAGE

Handling Precautions: Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements: Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature. Try to store product in temperatures between 40°F to 90° F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:
EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.
SKIN: For reasonable foreseeable uses of this product, skin protection is not required.
RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other: **EXPOSURE GUIDELINES:** Overexposure is unlikely, since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

Biosilk Volumizing Therapy Texturizing Powder

MSDS Number: 1014

Revision Date: 01/23/2013

Page 3 of 6

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White	Boiling Point:	Not determined
Physical State:	Powder	Freezing/Melting Pt.:	N/A
Odor:	Pleasant fragrance	Solubility:	Soluble in water.
pH:		Spec Grav./Density:	
Vapor Pressure:	N/A		
Vapor Density:	N/A		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (Incompatibility):	Keep away from strong oxidizing material.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

Biosilk Volumizing Therapy Texturizing Powder

MSDS Number: 1014

Revision Date: 01/23/2013

Page 4 of 6

13

DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION:

Class: None.

Non-regulated, non-hazardous

IMDG CLASSIFICATION:

Class: None.

Non-regulated, non-hazardous

IATA CLASSIFICATION:

Class: None.

Non-regulated, non-hazardous

1-800-424-9300

Inside the United States

CHEMTREC

1-703-527-3887

Outside the United States

MSDS Material Safety Data Sheet

Farouk Systems Group

Biosilk Volumizing Therapy Texturizing Powder

MSDS Number: 1014

Revision Date: 01/23/2013

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:

SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.

Pressure Generating: No.

Reactivity: No.

Acute: No.

313 REPORTABLE INGREDIENTS: Not applicable.

TITLE III NOTES: None.

CERCLA(Comprehensive Response, Compensation, and Liability Act)

CERCLA RQ: None.

TSCA(Toxic Substance Release Act)

TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:

WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)

This product is WHMIS controlled.

CANADIAN INGREDIENT DISCLOSURE LIST: None

CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:

EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.

STATE REGULATIONS: Not available.

LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

0 = Normal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

NFPA RATING:

FLAMMABILITY: 0

HEALTH: 1

REACTIVITY: 0

SPECIAL: None

HMIS RATING:

FLAMMABILITY: 0

HEALTH: 1

PHYSICAL HAZARD: 0

PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

Biosilk Volumizing Therapy Texturizing Powder

MSDS Number: 1014

Revision Date: 01/23/2013

Page 6 of 6

END OF MSDS DOCUMENT

MSDS *Material Safety Data Sheet*

Farouk Systems Group

BioSilk Volumizing Therapy Root Lifter

MSDS Number: 1013

Revision Date: 01/23/2013

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Farouk Systems Group
250 Pennbright Drive
Houston, Texas 77090

Contact: Regulatory Compliance Department
Telephone Number: 1-800-237-9175
FAX Number: 281-885-5512
E-Mail: regulatory@farouk.com
Web www.farouk.com

Product Name: BioSilk Volumizing Therapy Root Lifter
Revision Date: 01/23/2013
MSDS Number: 1013
Synonyms: Volumizing Therapy Root Lifter
Product Use: Toiletry, Cosmetic Applications

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes
Skin
Ingestion
Inhalation

Target Organs: None.

Inhalation: Misuse of this product by intentional concentration and inhalation may cause dizziness.

Skin Contact: None.

Eye Contact: May cause irritation or redness to the eyes if not used accordingly.

Ingestion: May cause irritation to the digestive tract.

3 COMPOSITION/INFORMATION ON INGREDIENTS

SB Alcohol <5%

4 FIRST AID MEASURES

Inhalation: Remove person from further exposure to product. Seek medical attention if necessary.

Skin Contact: None.

Eye Contact: Remove any contact lenses, if necessary, and immediately flush eyes with plenty of water for 15 minutes. Seek medical attention if necessary.

Ingestion: Wash mouth out and drink plenty of water. Seek medical attention if necessary.

MSDS **Material Safety Data Sheet**

Farouk Systems Group

BioSilk Volumizing Therapy Root Lifter

MSDS Number: 1013

Revision Date: 01/23/2013

Page 2 of 6

5 FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD:

>160° F

FLAMMABLE LIQUIDS:

Not available.

AUTO IGNITION TEMP:

>200°C (393°F)

FLAMMABLE CLASS:

NFPA rating of 2.

BURNING RATE OF SOLID:

Not available

GENERAL HAZARDS: Evacuate personnel downwind of fire to avoid inhalation of fumes and smoke.

EXTINGUISHING METHODS: Chemical type foam, CO2(Carbon Dioxide), Dry Chemical, Water Fog

HAZARDOUS COMBUSTION PRODUCTS: Fumes from flame might contain benzene and formaldehyde.

FIRE FIGHTING PROCEDURES: This product is a flammable substance. However, hazardous decomposition and combustion products may be formed in a fire situation. Cool exposed containers with water spray to prevent overheating.

FIRE FIGHTING EQUIPMENT: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and significant outdoor fires. For small outdoor fires, which may be easily extinguished with a portable fire extinguisher, use of a SCBA may not be needed.

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: When a spill occurs, use absorbent material on the substance. Dispose of the material according to all local, state and federal regulations. Always use an absorbent material when cleaning up a spill.

ENVIRONMENTAL PRECAUTIONS: Avoid run-off or release into sewers, stormdrains and waterways.

GENERAL PRECAUTIONS: Remove containers away from oxidizing materials.

7 HANDLING AND STORAGE

Handling Precautions:

Use appropriate personal protective equipment as specified in Section 8. Handle in a manner consistent with good household/personal techniques and practices.

Storage Requirements:

Keep containers/bottles securely sealed when not in use. Store in cool/dry conditions that do not exceed room temperature.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

These recommendations provide general guidance for handling this product safely. Because specific use conditions may vary, safety procedures should be developed for each specific application of this product. When developing procedures, always consider potential waste, disposal and personal safety issues.

Protective Equipment:

EYES AND FACE: For reasonable foreseeable uses of this product, eye and face protection is not required.

SKIN: For reasonable foreseeable uses of this product, skin protection is not required.

RESPIRATORY: For reasonable foreseeable uses of this product, respiratory protection is not required.

Exposure Guidelines/Other:

EXPOSURE GUIDELINES: Overexposure is unlikely. Since all parameters cannot be foreseen, the use of engineering controls to reduce exposure may be necessary.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

BioSilk Volumizing Therapy Root Lifter

MSDS Number: 1013

Revision Date: 01/23/2013

Page 3 of 6

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, Very Pale Yellow viscous Liquid	Boiling Point:	Not available
Physical State:	Liquid	Freezing/Melting Pt.:	Not available
Odor:	Pleasant perfume fragrance	Solubility:	Non-soluble in water.
pH:	4.0 - 5.0	Spec Grav./Density:	
Vapor Pressure:	N/A		
Vapor Density:	N/A		
Viscosity:	1000 - 1200 cps		

10 STABILITY AND REACTIVITY

Stability:	YES
Conditions to avoid:	Extreme temperatures.
Materials to avoid (incompatibility):	Keep away from oxidizing materials and flame.
Hazardous Decomposition products:	None known.
Hazardous Polymerization:	Will Not Occur.

11 TOXICOLOGICAL INFORMATION

ACUTE:
DERMAL LD50: Not available.
ORAL LD50: Not available.
INHALATION LC50: Not available.
EYE EFFECTS: This product may cause irritation to eyes if not used under normal conditions.
TARGET ORGANS: NONE.
SENSITIZATIONS: Not available.
CARCINOGENICITY:
IARC: Listed by IARC - No.
NTP: Listed by NTP - No.
OSHA: Listed by OSHA - No.

MUTAGENICITY: Not available.
REPRODUCTIVE EFFECTS: None.
TERATOGENIC EFFECTS: Not available.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.
ECOTOXICOLOGICAL INFO: Not available.
DISTRIBUTION: Not available.
CHEMICAL FATE INFO: Not available.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

BioSilk Volumizing Therapy Root Lifter

MSDS Number: 1013

Revision Date: 01/23/2013

Page 4 of 6

13

DISPOSAL CONSIDERATIONS

US EPA Waste Number and Descriptions:

DISPOSAL METHOD: Controlled release of diluted product into a biological wastewater treatment plant.

COMPONENT WASTE NUMBER: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Dispose of waste material according to local, state and federal rules and regulations.

14

TRANSPORT INFORMATION

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

DOT CLASSIFICATION: Shipping Name: BioSilk Volumizing Therapy Root Lifter

Class: none

Non-regulated, non-hazardous

IMDG CLASSIFICATION: Shipping Name: BioSilk Volumizing Therapy Root Lifter

Class: none

Non-regulated, non-hazardous

IATA CLASSIFICATION: Shipping Name: BioSilk Volumizing Therapy Root Lifter

Class: none

Non-regulated, non-hazardous

1-800-424-9300

Inside the United States

CHEMTREC

1-703-527-3887

Outside the United States

MSDS *Material Safety Data Sheet*

Farouk Systems Group

BioSilk Volumizing Therapy Root Lifter

MSDS Number: 1013

Revision Date: 01/23/2013

Page 5 of 6

15

REGULATORY INFORMATION

UNITED STATES:
SARA TITLE III (Superfund Amendments and Reauthorization Act)
311/312 HAZARD CATEGORIES

Fire: No.
Pressure Generating: No.
Reactivity: No.
Acute: No.
313 REPORTABLE INGREDIENTS: Not applicable.
TITLE III NOTES: None.
CERCLA(Comprehensive Response, Compensation, and Liability Act)
CERCLA RQ: None.
TSCA(Toxic Substance Release Act)
TSCA REGULATORY: All ingredients are listed in the TSCA Inventory.

CANADA:
WHMIS(WORKER HAZARDOUS MATERIAL INFORMATION SYSTEM)
This product is WHMIS controlled.
CANADIAN INGREDIENT DISCLOSURE LIST: This product contains Ethanol, which is listed on the "Ingredient Disclosure List".
CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL(Domestic Substance List).

EUROPEAN COMMUNITY:
EU REGULATORY: All intentional ingredients are listed on the European's EINECS Inventory.
STATE REGULATIONS: Not available.
LOCAL REGULATIONS: Not available.

16

OTHER INFORMATION

NFPA CODES:

Hazard Scale:

- 0 = Normal
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

NFPA RATING:

FLAMMABILITY: 2
HEALTH: 1
REACTIVITY: 0
SPECIAL: None

HMIS RATING:

FLAMMABILITY: 2
HEALTH: 1
PHYSICAL HAZARD: 0
PERSONAL PROTECTION: N/A

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

MSDS *Material Safety Data Sheet*

Farouk Systems Group

BioSilk Volumizing Therapy Root Lifter

MSDS Number: 1013

Revision Date: 01/23/2013

Page 6 of 6

END OF MSDS DOCUMENT